

ANTONIO COUTINHO**REFERENCES**

- 1 Machado Caetano, J.A., Silveira Nunes, M.A., Coutinho, A. e Reis de Carvalho, M.H.
Doseamento imunquimico das imunoglobulinas sericas IgG, IgA e IgM em 30 adultos normais.
Arq. Port. de Bioq., **XIII**: 148-163 (1970)
- 2 Coutinho, A.A. e Machado Caetano, J.A.
Imunocito-aderencia: significado das celulas que formam rosetas e perspectivas de aplicacao clinica.
Med. Universal., **14**: 389-396 (1971)
- 3 Coutinho, A.A.
Terapêutica por imunossupressores. Breves notas sobre resposta imunologica com especial referencia a imunidade celular.
Rev. Port. Terap. Med., **5**: 79-96 (1971)
- 4 Virella, G. e Coutinho, A.A.
Resultados preliminares de estudos experimentais sobre a acção immunosupressora de um tiol (alfa-mercaptopropionil glicina).
Rev. Port. Terap. Med., **6**: 28 (1972)
- 5 Coutinho, A., Möller, G., Andersson, J. & Bullock, W.W.
In vitro activation of mouse lymphocytes in serum-free medium: effect of T and B cell mitogens on proliferation and antibody synthesis.
Eur. J. Immunol., **3**: 299-306 (1973)
- 6 Coutinho, A. & Möller, G.
B cell mitogenic properties of thymus-independent antigens.
Nature, New Biol., **245**: 12-14 (1973)
- 7 Coutinho, A. & Möller, G.
In vitro induction of specific immune responses in the absence of serum: requirement for nonspecific T or B cell mitogens.
Eur. J. Immunol., **3**: 532-537 (1973)
- 8 Coutinho, A. & Möller, G.
Mitogenic properties of the thymus-independent antigen pneumococcal polysaccharide SIII.
Eur. J. Immunol., **3**: 608-613 (1973)
- 9 Möller, G. & Coutinho, A.
The allogeneic effect *in vitro*: activation of antibody synthesis in aggressor and target lymphocyte populations by allogeneic interactions.
Eur. J. Immunol., **3**: 703-707 (1973)
- 10 Coutinho, A., Gronowicz, E., Bullock, W.W. & Möller, G.

Mechanism of thymus-independent immunocyte triggering: mitogenic activation of B cells results in specific immune responses.

J. Exp. Med., **139**: 74-92 (1974)

- 11 Coutinho, A. & Möller, G.
Immune activation of B cells: evidence for “one nonspecific triggering signal” not delivered by the Ig receptors.
Scand. J. Immunol., **3**: 133-145 (1974)
- 11a Coutinho, A. & Möller, G.
Immune activation of B cells: evidence for “one nonspecific triggering signal” not delivered by the Ig receptors.
Boll. Ist. Sieroter. Milanese, **53** (Suppl. n° 1) p. 131 (1974)
- 12 Gronowicz, E., Coutinho, A. & Sjöberg, O.
Hapten-induced paralysis. I. Evidence for the persistence of hapten-specific immunocompetent B lymphocytes in specifically paralyzed mice.
Eur. J. Immunol., **4**: 226-229 (1974)
- 13 Coutinho, A.
Immune activation of B cells: an analysis of the triggering mechanisms.
Akademisk Avhandling, Karolinska Institutet, Stockholm (1974)
- 14 Coutinho, A., Möller, G. & Richter, W.
Molecular basis of B cell activation. I. Mitogenicity of native and substituted dextrans.
Scand. J. Immunol., **3**: 321-338 (1974)
- 15 Gronowicz, E., Coutinho, A. & Möller, G.
Differentiation of B cells: sequential appearance of responsiveness to polyclonal activators.
Scand. J. Immunol., **3**: 413-421 (1974)
- 16 Coutinho, A., Gronowicz, E. & Möller, G.
The role of Ig receptors in antigen-induced activation of B lymphocytes.
In: *Progress in Immunology II*, Brent, L. & Holborow, J. (eds.), Vol. **2**, North Holland Publ. Co., Amsterdam, pp. 167-175 (1974)
- 17 Gronowicz, E. & Coutinho, A.
Selective triggering of B cell subpopulations by mitogens.
Eur. J. Immunol., **4**: 771-776 (1974)
- 18 Möller, G. & Coutinho, A.
Factors influencing activation of B cells in immunity.
Ann. New York Acad. Sci., **249**: 68-88 (1975)
- 19 Coutinho, A., Gronowicz, E. & Möller, G.
Activation of lymphocytes by antigen and mitogen.
In: *Regulation of growth and differentiated function in eukaryotic cells*, Talwar, G.P. (ed.), Raven Press, New York, pp. 213-227 (1975)

- 20 Möller, G., Coutinho, A. & Persson, U.
Mechanism of B-lymphocyte activation: failure to obtain evidence of a direct role of the Ig receptors in the triggering process.
Scand. J. Immunol., **4**: 37-52 (1975)
- 21 Coutinho, A. & Möller, G.
Thymus-independent B-cell induction and paralysis.
Adv. Immunol., **21**: 113-236 (1975)
- 22 Möller, G. & Coutinho, A.
Role of C'3 and Fc receptors in B-lymphocyte activation.
J. Exp. Med., **141**: 647-663 (1975)
- 23 Coutinho, A., Gronowicz, E. & Möller, G.
Mechanism of B-cell activation and paralysis by thymus-independent antigens. Additive effects between NNP-LPS and LPS in the specific response to the hapten.
Scand. J. Immunol., **4**: 89-94 (1975)
- 24 Coutinho, A., Gronowicz, E. & Sultzer, B.M.
Genetic control of B-cell responses. I. Selective unresponsiveness to lipopolysaccharide.
Scand. J. Immunol., **4**: 139-143 (1975)
- 25 Coutinho, A., Gronowicz, E. & Möller, G.
Signals and receptors in B cell activation.
In: *Immune Recognition*, Rosenthal, A. (ed.), Academic Press, New York, pp. 63-83 (1975)
- 26 Coutinho, A. & Gronowicz, E.
Genetical control of B-cell responses. III. Requirement for functional mitogenicity of the antigen in thymus-independent specific responses.
J. Exp. Med., **141**: 753-760 (1975)
- 27 Gronowicz, E. & Coutinho, A.
Responsiveness of lymphoid precursors to polyclonal B-cell activators.
Scand. J. Immunol., **4**: 429-437 (1975)
- 28 Gronowicz, E. & Coutinho, A.
Hapten-induced B cell paralysis. II. Evidence for trivial mechanisms of tolerance.
Eur. J. Immunol., **5**: 413-420 (1975)
- 29 Coutinho, A.
The theory of the "one nonspecific signal" model for B cell activation.
Transplant. Rev., **23**: 49-65 (1975)

- 30 Gronowicz, E. & Coutinho, A.
Functional analysis of B cell heterogeneity.
Transplant. Rev., **24**: 3-40 (1975)
- 31 Coutinho, A., Möller, G. & Gronowicz, E.
Genetical control of B-cell responses. IV. Inheritance of the unresponsiveness to lipopolysaccharides.
J. Exp. Med., **142**: 253-258 (1975)
- 32 Coutinho, A. & Möller, G.
The self-nonsel self discrimination: a one-signal mechanism.
Scand. J. Immunol., **4**: 99-102 (1975)
- 33 Lemke, H., Coutinho, A., Opitz, H.-G. & Gronowicz, E.
Macrophages suppress direct B-cell activation by Lipopolysaccharide.
Scand. J. Immunol., **4**: 707-719 (1975)
- 34 Niederhuber, J.E., Frelinger, J.A., Dugan, E., Coutinho, A. & Shreffler, D.C.
Effects of anti-Ia serum on mitogenic responses. I. Inhibition of the proliferative response to B cell mitogen, LPS, by specific anti-Ia sera.
J. Immunol., **115**: 1672-1676 (1975)
- 35 Melchers, F., Coutinho, A., Heinrich, G. & Andersson, J.
Continuous growth of mitogen-reactive B lymphocytes.
Scand. J. Immunol., **4**: 853-858 (1975)
- 36 Coutinho, A.
Genetic control of B-cell responses. II. Identification of the spleen B-cell defect in C3H/HeJ mice.
Scand. J. Immunol., **5**: 129-140 (1976)
- 37 Coutinho, A., Gronowicz, E., Möller, G. & Lemke, H.
Polyclonal B cell activators (PBA).
In: *Mitogens in Immunobiology*, Rosenstreich, D. & Oppenheim, J. (eds.), Academic Press, New York, pp. 173-190 (1976)
- 38 Möller, G., Coutinho, A., Gronowicz, E., Hammarström, L. & Smith, E.
Role of mitogenic components of thymus-independent antigens.
In: *Mitogens in Immunobiology*, Rosenstreich, D. & Oppenheim, J. (eds.), Academic Press, New York, pp. 291-312 (1976)
- 39 Gronowicz, E. & Coutinho, A.
Heterogeneity of B cells: direct evidence of selective triggering of distinct subpopulations by polyclonal activators.
Scand. J. Immunol., **5**: 55-69 (1976)

- 40 Prakash, C., Coutinho, A. & Möller, G.
Inhibition of *in vitro* immune responses by a fraction from seminal plasma.
Scand. J. Immunol., **5**: 77-85 (1976)
- 41 Lemke, H., Möller, G. & Coutinho, A.
No histocompatibility requirements for macrophage-lymphocyte interactions in the primary immune antibody response to sheep erythrocytes *in vitro*.
In: *Leukocyte Membrane Determinants Regulating Immune Reactivity*, Eijsvogel, V.P., Roos, D. & Zeijlemaker, W.P. (eds.), Academic Press, New York, pp. 303-309 (1976)
- 42 Hammarström, L., Smith, E. & Coutinho, A.
Inhibition of LPS mitogenicity by polymyxin B results in loss of immunogenicity of hapten-LPS conjugates.
In: *Leukocyte Membrane Determinants Regulating Immune Reactivity*, Eijsvogel, V.P., Roos, D. & Zeijlemaker, W.P. (eds.), Academic Press, New York, pp. 97-102 (1976)
- 43 Gronowicz, E., Biberfeld, P., Wahren, B. & Coutinho, A.
Characterization of dextran-sulphate sensitive cells.
Scand. J. Immunol., **5**: 573-582 (1976)
- 44 Smith, E., Hammarström, L. & Coutinho, A.
Association between mitogenicity and immunogenicity of 4-hydroxy-3,5-dinitrophenacetyl-lipopolysaccharide, a T-independent antigen.
J. Exp. Med., **143**: 1521-1527 (1976)
- 45 Möller, G., Gronowicz, E., Persson, U., Coutinho, A., Möller, E., Hammarström, L. & Smith, E.
Spleen cells from animals tolerant to a thymus-dependent antigen can be activated by lipopolysaccharide to synthesize antibodies against the tolerogen.
J. Exp. Med., **143**: 1429-1438 (1976)
- 46 Gronowicz, E., Coutinho, A. & Melchers, F.
A plaque assay for all cells secreting Ig of a given type or class.
Eur. J. Immunol., **6**: 588-590 (1976)
- 47 Persson, U., Coutinho, A. & Möller, G.
Regulation of *in vitro* immunocyte activation. Origin of and targets for cell-released inhibitors.
Scand. J. Immunol., **6**: 15-30 (1977)
- 48 Andersson, J., Coutinho, A., Melchers, F. & Watanabe, T.
Growth and maturation of single clones of normal murine T and B lymphocytes *in vitro*.
In: *Origins of Lymphocyte Diversity*, Cold Spring Harbor Symp. Quant. Biol., **XLI**, pp. 227-236 (1977)
- 49 Andersson, J., Coutinho, A., Lernhardt, W. & Melchers, F.
Clonal growth and maturation to immunoglobulin secretion *in vitro* of every growth-inducible B lymphocyte.
Cell, **10**: 27-34 (1977)

- 50 Watanabe, T., Fathman, G.G. & Coutinho, A.
Clonal growth of T cells *in vitro*: preliminary attempts to a quantitative approach.
Immunol. Rev., **35**: 3-37 (1977)
- 51 Andersson, J., Coutinho, A. & Melchers, F.
Frequencies of mitogen-reactive B cells in the mouse. I. Distribution in different lymphoid organs from different inbred strains of mice at different ages.
J. Exp. Med., **145**: 1511-1519 (1977)
- 52 Andersson, J., Coutinho, A. & Melchers, F.
Frequencies of mitogen-reactive B cells in the mouse. II. Frequencies of B cells producing antibodies which lyse sheep or horse erythrocytes, and trinitrophenylated or nitroiodophenylated sheep erythrocytes.
J. Exp. Med., **145**: 1520-1530 (1977)
- 53 Coutinho, A., Forni, L., Melchers, F. & Watanabe, T.
Genetic defect in responsiveness to the B cell mitogen lipopolysaccharide.
Eur. J. Immunol., **7**: 325-328 (1977)
- 54 Coutinho, A., Meo, T. & Watanabe, T.
Independent segregation of two functional markers expressed on the same B-cell subset in the mouse: the Mls determinants and LPS receptors.
Scand. J. Immunol., **6**: 1005-1013 (1977)
- 55 Watanabe, T., Fathman, C.G. & Coutinho, A.
T cells which proliferate in response to concanavalin A include cells which proliferate in mixed leukocyte reactions.
Eur. J. Immunol., **7**: 603-607 (1977)
- 56 Eichmann, K., Coutinho, A. & Melchers, F.
Absolute frequencies of lipopolysaccharide-reactive B cells producing A5A idiotype in unprimed, streptococcal A carbohydrate-primed anti A5A idio-type-sensitized and anti-A5A idio-type-suppressed A/J mice.
J. Exp. Med., **146**: 1436-1449 (1977)
- 57 Köhler, G., Lefkovits, I., Elliott, B.E. & Coutinho, A.
Derivation of hybrids between a thymoma line and spleen cells activated in a mixed leukocyte reaction.
Eur. J. Immunol., **7**: 758-761 (1977)
- 58 Lernhardt, W., Andersson, J., Coutinho, A. & Melchers, F.
Cloning of murine transformed cell lines in suspension culture with efficiencies near 100%.
Exp. Cell Res., **111**: 309-316 (1978)
- 59 Forni, L. & Coutinho, A.
An antiserum which recognizes lipopolysaccharide-reactive B cells in the mouse.
Eur. J. Immunol., **8**: 56-62 (1978)

- 60 Coutinho, A., Forni, L. & Watanabe, T.
Genetic and functional characterization of an antiserum to the lipid-A-specific triggering receptor on murine B-lymphocytes.
Eur. J. Immunol., **8**: 63-67 (1978)
- 61 Forni, L. & Coutinho, A.
Receptor interactions on the membrane of resting and activated B cells.
Nature, **273**: 304-305 (1978)
- 62 Andersson, J., Coutinho, A. & Melchers, F.
Stimulation of murine B lymphocytes to IgG synthesis and secretion by the mitogens lipopolysaccharide and lipoprotein and its inhibition by anti-immunoglobulin antibodies.
Eur. J. Immunol., **8**: 336-343 (1978)
- 63 Andersson, J., Coutinho, A. & Melchers, F.
The switch from IgM to IgG secretion in single mitogen-stimulated B-cell clones.
J. Exp. Med., **147**: 1744-1754 (1978)
- 64 Coutinho, A., Forni, L. & Blomberg, B.
Shared antigenic determinants by mitogen receptors and antibody molecules to the same thymus-independent antigen.
J. Exp. Med., **148**: 862-870 (1978)
- 65 Coutinho, A. & Meo, T.
Genetic basis for unresponsiveness to lipopolysaccharide in C57BL/10Cr mice.
Immunogenetics, **7**: 17-24 (1978)
- 66 Larsson, E.-L., Andersson, J. & Coutinho, A.
Functional consequences of sheep red blood cell rosetting for human T cells: gain of reactivity to mitogenic factors.
Eur. J. Immunol., **8**: 693-696 (1978)
- 67 Andersson, J., Coutinho, A. & Melchers, F.
The role of immunoglobulin in the induction of B lymphocytes.
In: *Cells of Immunoglobulin Synthesis*, Pernis, B. & Vogel, H.J. (eds.), Academic Press, New York, pp. 209-221 (1979)
- 68 Bernabé, R.R., Martinez-Alonso, C. & Coutinho, A.
The specificity of nonspecific concanavalin A-induced helper factors.
Eur. J. Immunol., **9**: 546-552 (1979)
- 69 Andersson, J., Coutinho, A., Lernhardt, W. & Melchers, F.
B-cell triggering.
In: *B Lymphocytes in the Immune Response*, Cooper, M.D., Mosier, D., Scher, I. & Vitetta, E. (Ed.), Elsevier North Holland, Inc., pp. 257-2 (1979)

- 70 Andersson, J., Coutinho, A. & Melchers, F.
Mitogen-activated B-cell blasts reactive to more than one mitogen.
J. Exp. Med., **149**: 553-563 (1979)
- 71 Forni, L., Cazenave, P.-A., Cosenza, H., Forsbeck, K. & Coutinho, A.
Expression of V-region-like determinants on Ig-negative precursors in murine fetal liver and bone marrow.
Nature, **280**: 241-243 (1979)
- 72 Bernabé, R.R., Martinez-Alonso, C., Larsson, E.-L. & Coutinho, A.
Wheat germ agglutinin activates macrophages for collaboration with B cells.
Eur. J. Immunol., **9**: 654-656 (1979)
- 73 Andersson, J., Grönvik, K.O., Larsson, E.-L. & Coutinho, A.
Studies on T lymphocyte activation. I. Requirements for the mitogen-dependent production of T cell growth factors.
Eur. J. Immunol., **9**: 581-587 (1979)
- 74 Coutinho, A., Larsson, E.-L., Grönvik, K.O. & Andersson, J.
Studies on T lymphocyte activation. II. The target cells for concanavalin A-induced growth factors.
Eur. J. Immunol., **9**: 581-592 (1979)
- 75 Larsson, E.-L. & Coutinho, A.
The role of mitogenic lectins in T-cell triggering.
Nature, **280**: 239-241 (1979)
- 76 Coutinho, A.
The nature and acquisition of the antibody repertoire.
Ann. Immunol. (Inst. Pasteur), **130 C**: 781-784 (1979)
- 77 Forni, L., Coutinho, A., Köhler, G. & Jerne, N.K.
IgM antibodies induce the production of antibodies of the same specificity.
Proc. Natl. Acad. Sci. USA, **77**: 1125-1128 (1980)
- 78 Larsson, E.-L., Iscove, N.N. & Coutinho, A.
Two distinct factors are required for induction of T-cell growth.
Nature, **283**: 664-660 (1980)
- 79 Larsson, E.-L. & Coutinho, A.
Mechanism of T cell activation. I. A screening of "step one" ligands.
Eur. J. Immunol., **10**: 93-99 (1980)

- 80 Augustin, A.A. & Coutinho, A.
Specific T helper cells that activate B cells polyclonally. *In vitro* enrichment and cooperative function.
J. Exp. Med., **151**: 587-601 (1980)
- 81 Coutinho, A. & Augustin, A.A.
MHC-restricted and unrestricted T helper cells recognizing minor histocompatibility antigens of B cell surfaces.
Eur. J. Immunol., **10**: 535-541 (1980)
- 82 Martinez-Alonso, C., Coutinho, A., Bernabé, R.R., Augustin, A., Haas, W. & Pohlitz, H.
Hapten-specific helper T cells. I. Collaboration with B cells to which the hapten has been directly coupled.
Eur. J. Immunol., **10**: 403-410 (1980)
- 83 Martinez-Alonso, C., Coutinho, A., Bernabé, R.R., Haas, W. & Pohlitz, H.
Hapten-specific helper T cells. II. Genetic determination of functional recognition.
Eur. J. Immunol., **10**: 411-416 (1980)
- 84 Martinez-A., C., Coutinho, A. & Bernabé, R.R.
Hapten-specific helper T cells restricted by the *I-E*^C subregion of the MHC.
Immunogenetics, **10**: 299-303 (1980)
- 85 Coutinho, A., Forni, L., Martinez-A., C., Bernabé, R.R., Larsson, E.-L., Reth, M., Augustin, A.A. & Cazenave, P.-A.
Indications for an internal regulation in the immune system.
In: *Membranes, Receptors and the Immune Response*, Cohen, E.P. & Köhler, H. (eds.), Alan R. Liss, Inc., New York, pp. 279-293 (1980)
- 86 Larsson, E.-L., Coutinho, A. & Martinez-A., C.
A suggested mechanism for T lymphocyte activation: implications on the acquisition of functional reactivities.
Immunol. Rev., **51**: 61-91 (1980)
- 87 Coutinho, A., Forni, L. & Bernabé, R.R.
The polyclonal expression of immunoglobulin variable region determinants on the membrane of B cells and their precursors.
Springer Seminars in Immunopathology, **3**: 171-211 (1980)
- 88 Martinez-A., C., Coutinho, A. & Bernabé, R.R.
Allogeneic H-2 does not cross-react, at the helper T-cell level, with hapten-modified self.
Scand. J. Immunol., **13**: 41-46 (1981)
- 89 Martinez-Alonso, C., Coutinho, A. & Augustin, A.A.
Immunoglobulin C-gene expression. I. The commitment to IgG subclass of secretory cells is determined by the quality of nonspecific stimuli.
Eur. J. Immunol., **10**: 698-702 (1980)

- 90 Freitas, A.A. & Coutinho, A.A.
Characterization of mouse thoracic duct B lymphocytes. I. Evidence of functional heterogeneity.
Eur. J. Immunol., **10**: 772-776 (1980)
- 91 Coutinho, A. & Forni, L.
The enhancement of antibody response by IgM antibodies is dependent on antigen-specific T helper cells.
Immunobiology, **158**: 182-190 (1981)
- 92 Martinez -Alonso, C., Coutinho, A., Von Boehmer, H. & Bernabé, R.
Hapten-specific helper T cells. III. Fine specificity of the (4-hydroxy-3-nitro-phenyl)-acetyl (NP)-specific response in IgH-1^b mice.
Eur. J. Immunol., **11**: 172-174 (1981)
- 93 Larsson, E.-L., Bernabé, R.R., Martinez -Alonso, C., Leandersson, T. & Coutinho, A.
Chemical and biological studies on lectin-induced T cell growth factors and “helper” factors for the *in vitro* antibody response to erythrocytes.
Behring Inst. Res. Communic., **67**: 18-25 (1980)
- 94 Larsson, E.-L., Gullberg, M., Ivars, F., Holmberg, D. & Coutinho, A.
The cells producing and responding to TCGF.
Behring Inst. Res. Communic., **67**: 12-17 (1980)
- 95 Martinez -A., C., Augustin, A.A. & Coutinho, A.
A helper cell assay of cellular antigens and its applications to hapten-specific T cells.
In: *Immunological Methods II*, Lefkovits, I. & Pernis, B. (eds.), Academic Press, New York, pp. 213-220 (1981)
- 96 Bernabé, R.R., Tuneskog, M., Forni, L., Martinez -A., C., Holmberg, D., Ivars, F. & Coutinho, A.
The protein A-plaque assay for the detection of immunoglobulin-secreting cells.
In: *Immunological Methods II*, Lefkovits, I. & Pernis, B. (eds.), Academic Press, New York, pp. 187-197 (1981)
- 97 Benner, R., Rijnbeek, A.-M., Schreier, M.H. & Coutinho, A.
Frequency analysis of immunoglobulin V-gene expression and functional reactivities in bone marrow B cells.
J. Immunol., **126**: 887-890 (1981)
- 98 Benner, R., Rijnbeek, A.-M., Bernabé, R.R., Martinez -Alonso, C. & Coutinho, A.
Frequencies of background Immunoglobulin-secreting cells in mice as a function of organ, age and immune status.
Immunobiology, **158**: 225-238 (1981)
- 99 Forni, L. & Coutinho, A.
Individuality of immune systems: the thousand ways and one way of being complete.
In: *The Immune System*, Steinberg, C.S. & Lefkovits, I. (eds.), Vol. **1**, Karger, Basel, pp. 21-27 (1981)

- 100 Coutinho, A.
The self-nonself discrimination and the nature and acquisition of the antibody repertoire.
Ann. Immunol. (Inst. Pasteur), **131 D**: 235-253 (1980)
- 101 Coutinho, A. & Forni, L.
Antigen-specific and -non-specific regulatory influences of antibody in immune responses are determined by variable region properties.
Ann. Immunol. (Institut Pasteur), **132 C**: 131-144 (1981)
- 102 Martinez-A., C. & Coutinho, A.
B-cell activation by helper cells is a two-step process.
Nature, **290**: 60-61 (1981)
- 103 Coutinho, A., Augustin, A.A., Forni, L. & Fischer-Lindahl, K.
Genetics of a non-H-2 antigen that stimulates “unrestricted” helper T cells and MLR.
J. Immunol., **127**: 21-25 (1981)
- 104 Gullberg, M., Ivars, F., Coutinho, A. & Larsson, E.-L.
Regulation of T cell growth factor production: arrest of TCGF production after 18 hours in normal lectin-stimulated mouse spleen cell cultures.
J. Immunol., **127**: 407-411 (1981)
- 105 Freitas, A.A., Rocha, B., Forni, L. & Coutinho, A.
Population dynamics of B lymphocytes and their precursors: demonstration of high turnover in the central and peripheral lymphoid organs.
J. Immunol., **128**: 54-60 (1982)
- 106 Forni, L., Bernabé, R.R., Martinez -A., C. & Coutinho, A.
Effect of anti-? antibodies on clonal expansion and maturation of B lymphocytes.
Immunobiology, **160**: 159-172 (1981)
- 107 Ivars, F., Holmberg, D., Forni, L., Cazenave, P.-A. & Coutinho, A.
Antigen-independent, IgM-induced antibody responses: requirement for “recurrent” idiotypes.
Eur. J. Immunol., **12**: 146-151 (1982)
- 108 Freitas, A.A. & Coutinho, A.
Very rapid decay of mature B lymphocytes in the spleen.
J. Exp. Med., **154**: 994-999 (1981)
- 109 Larsson, E.-L., Fischer-Lindahl, K., Langhorne, J. & Coutinho, A.
Quantitative studies on concanavalin A-induced, TCGF-reactive T cells. I. Correlation between proliferation and lectin -dependent cytolytic activity.
J. Immunol., **127**: 1081-1085 (1981)

- 110 Bernabé, R.R., Coutinho, A., Cazenave, P.-A. & Forni, L.
Suppression of a “recurrent” idiootype results in profound alterations of the whole B-cell compartment.
Proc. Natl. Acad. Sci. USA, **78**: 6416-6420 (1981)
- 111 Bernabé, R.R., Coutinho, A., Martinez-A., C. & Cazenave, P.-A.
Immune networks. Frequencies of antibody- and idiootype-producing B cell clones in various steady states.
J. Exp. Med., **154**: 552-556 (1981)
- 112 Larsson, E.-L., Gullberg, M. & Coutinho, A.
Heterogeneity of cells and factors participating in the concanavalin A-dependent activation of T lymphocytes with cytotoxic potential.
Immunobiology, **161**: 5-20 (1982)
- 113 Cazenave, P.-A., Roland, J., Papillon Fils, M. & Coutinho, A.
Idiotypic interactions of antibodies and cellular receptors that provide and regulate immune activity.
In: *Immunoglobulin Idiotypes and their Expression*, Janeway, C., Sercarz, E., Wigzell, H. & Fox, F. (eds.), Academic Press, New York, pp. 759-766 (1980)
- 114 Hooijkaas, H., Preesman, A.A., Benner, R. & Coutinho, A.
The switch from IgM- to IgG- and IgA-secretion in single clones of polyclonally activated murine B cells is influenced by the quality of the activating signal.
In: *Mechanism of Lymphocyte Activation*, Resch, K. & Kirchner, H. (eds.), Elsevier-North Holland, Amsterdam, pp. 486-490 (1981)
- 115 Benner, R., Coutinho, A., Rijnbeek, A.-M., van Oudenaren, A. & Hooijkaas, H.
Immunoglobulin isotype expression. II. Frequency analysis in mitogen-reactive B cells.
Eur. J. Immunol., **11**: 799-804 (1981)
- 116 Coutinho, A.
From the point of view of an immunologist: enemies from within or friends from long ago ?
Current Top. Microbiol. Immunol., **98**: 113-126 (1982)
- 117 Benner, R., Rijnbeek, A.-M., van Oudenaren, A. & Coutinho, A.
Quantitative aspects of the nonspecific humoral immune response to sheep erythrocytes.
Adv. Exp. Med. Biol., **149**: 703-710 (1982)
- 118 Pettersson, S., Pobor, G. & Coutinho, A.
MHC restriction of male-antigen-specific T helper cells collaborating in antibody responses.
Immunogenetics, **15**: 129-138 (1982)
- 119 Martinez-Alonso, C. & Coutinho, A.
Immunoglobulin C-gene expression. III. Possible induction of specific genetic events in activated B lymphocytes by the polyclonal stimuli driving clonal expansion.
Eur. J. Immunol., **12**: 502-506 (1982)

- 120 Holmberg, D., Ivars, F., Forni, L., Cazenave, P.-A. & Coutinho, A.
Idiotypic characterization of antibody-induced antibody responses.
Immunobiology, **162**: 56-65 (1982)
- 121 Holmberg, D., Ivars, F. & Coutinho, A.
An example of major histocompatibility complex-linked control of idiotypic interactions.
Eur. J. Immunol., **13**: 82-85 (1983)
- 122 Ivars, F., Holmberg, D., Cazenave, P.-A. & Coutinho, A.
IgM-induced specific antibody responses: direct correlation between responsiveness and natural or induced recurrence of the idiotype.
Scand. J. Immunol., **17**: 231-240 (1983)
- 123 Pettersson, S., Pobor, G. & Coutinho, A.
Ontogenic development of B cell reactivities to cooperative cell signals: dissociation between proliferation and antibody secretion.
Eur. J. Immunol., **12**: 653-658 (1982)
- 124 Björklund, M. & Coutinho, A.
Isotype commitment in the *in vivo* immune responses. I. Antigen-dependent specific and polyclonal plaque-forming cell responses by B lymphocytes induced to extensive proliferation.
J. Exp. Med., **156**: 690-702 (1982)
- 125 Björklund, M. & Coutinho, A.
Isotype commitment in the *in vivo* immune responses. II. Polyclonal plaque-forming cell responses to lipopolysaccharide in the spleen and bone marrow.
Eur. J. Immunol., **13**: 44-50 (1983)
- 126 Pobor, G., Pettersson, S. & Coutinho, A.
Clonal analysis of the specificity of alloreactive cells: "dominance" of E_? reactive clones.
Immunogenetics, **16**: 559-569 (1982)
- 127 Leandersson, T., Lundgren, E., Ruuth, E., Borg, H., Persson, H. & Coutinho, A.
B-cell growth factor: distinction from T-cell growth factor and B-cell maturation factor.
Proc. Natl. Acad. Sci. USA, **79**: 7455-7459 (1982)
- 128 Forni, L. & Coutinho, A.
The production of membrane or secretory forms of immunoglobulins is regulated by C-gene-specific signals
Nature, **299**: 173-175 (1982)
- 129 Coutinho, A., Benner, R., Björklund, M., Forni, L., Holmberg, D., Ivars, F., Martinez-A., C. & Pettersson, S.
A "trans" perspective on the control of immunoglobulin C gene expression.
Immunol. Rev., **67**: 87-114 (1982)

- 130 Coutinho, A.
Functional perspectives of idiotype and anti-idiotype interactions.
In: *Idiotypes-Antigens on the Inside*, Ed. Roche, Basel, Switzerland, pp. 222-237 (1982)
- 131 Bandeira, A., Pobor, G., Pettersson, S. & Coutinho, A.
Differential macrophage requirements for T helper cell and T helper cell-induced B lymphocyte proliferation.
J. Exp. Med., **157**: 312-323 (1983)
- 132 Pettersson, S., Pobor, G., Bandeira, A. & Coutinho, A.
Distinct helper activities control growth or maturation of B lymphocytes.
Eur. J. Immunol., **13**: 249-254 (1983)
- 133 Larsson, E.-L., Gullberg, M., Beretta, A. & Coutinho, A.
Requirement for the involvement of clonally distributed receptors in the activation of cytotoxic T lymphocytes.
Immunol. Rev., **68**: 67-88 (1982)
- 134 Coutinho, A., Forni, L., Holmberg, D. & Ivars, F.
Is the network theory tautologic ?

In: *Nobel Symposium 55: Genetics of the Immune Response*, Möller, E. & Möller, G. (eds.), Plenum Press, New York, pp. 273-297 (1983)
- 135 Coutinho, A., Pettersson, S., Ruuth, E. & Forni, L.
Immunoglobulin C gene expression. IV. Alternative control of IgG₁-producing cells by helper cell-derived B cell-specific growth or maturation factors.
Eur. J. Immunol., **13**: 269-272 (1983)
- 136 Coutinho, A. & Forni, L.
Intraclonal diversification in immunoglobulin isotype secretion: an analysis of switch probabilities.
EMBO J., **1**: 1251-1257 (1982)
- 137 Ivars, F., Holmberg, D. & Coutinho, A.
The immune response to bacterial dextrans. I. Genetic control of responsiveness.
Scand. J. Immunol., **17**: 419-428 (1983)
- 138 Coutinho, A., Bandeira, A., Björklund, M., Forni, L., Forsgren, S., Freitas, A.A., Gullberg, M., Holmberg, D., Ivars, F., Larsson, E.-L., Leandersson, T., Martinez-A., C., Pettersson, S. & Pobor, G.
From the mechanisms of lymphocyte activation to internal activity in the immune system.
Ann. Immunol. (Inst. Pasteur) **134 D**: 93-102 (1983)
- 139 Forsgren, S., Kleine, B., Pobor, G., Martinez-A., C., Forni, L. & Coutinho, A.
The membrane receptor complex regulating induction and clonal expansion of normal murine B lymphocytes.
Rev. Infect. Dis., **6**: 524-527 (1984)

- 140 Pobor, G., Bandeira, A., Pettersson, S. & Coutinho, A.
A quantitative assay detecting small numbers of effector helper T cells, regardless of clonal specificity.
Scand. J. Immunol., **20**: 189-197 (1984)
- 141 Rocha, B., Freitas, A.A. & Coutinho, A.
Population dynamics of T lymphocytes. Renewal rate and expansion in the peripheral lymphoid organs.
J. Immunol., **131**: 2158-2164 (1983)
- 142 Pettersson, S., Leandersson, T., Forsgren, S., Pobor, G. & Coutinho, A.
Functional and chemical characterization of B cell growth factor produced by normal cloned T helper cells.
Scand. J. Immunol., **20**: 7-14 (1984)
- 143 Gullberg, M., Pobor, G., Bandeira, A., Larsson, E.-L. & Coutinho, A.
Differential requirements for activation and growth of unprimed cytotoxic and helper T lymphocytes.
Eur. J. Immunol., **13**: 719-725 (1983)
- 144 Pobor, G., Pettersson, S., Bandeira, A., Martinez-A., C. & Coutinho, A.
Activation of helper T cells for B lymphocytes in primary mixed lymphocyte cultures.
Scand. J. Immunol., **18**: 207-215 (1983)
- 145 Pobor, G., Pettersson, S., Bandeira, A., Martinez-A., C. & Coutinho, A.
B lymphocyte activation upon exclusive recognition of major histocompatibility antigens by T helper cells.
Eur. J. Immunol., **14**: 222-227 (1984)
- 146 Holmberg, D., Lundkvist, I., Forni, L., Ivars, F., & Coutinho, A.
Absence of immunoglobulin heavy chain expression results in altered ? ? ? light chain ratios.
J. Mol. Cell. Immunol., **2**: 51-56 (1985)
- 147 Leanderson, T., Pettersson, S., Ruuth, E., Lundgren, E. & Coutinho, A.
Lymphokine participation in B cell responses.

In: *Lymphokines*, Schreier, M. & Smith, K. (eds.), Vol. **10**, Academic Press, New York, pp. 165-174 (1985)
- 148 Ivars, F., Nyberg, G., Holmberg, D. & Coutinho, A.
Immune response to bacterial dextran. II. T cell control of antibody isotypes.
J. Exp. Med., **158**: 1498-1510 (1983)
- 149 Bandeira, A., Pobor, G., Gullberg, M. & Coutinho, A.
Functional analysis of pokeweed mitogen-dependent cell interactions in murine spleen cells.

I. Lack of B-cell mitogenicity and low frequency of effector helper T cells.

Scand. J. Immunol., **22**: 321-328 (1985)

- 150 Larsson, E.-L. & Coutinho, A.
On the role of I-A antigens in lectin- and antigen-induced interleukin 2 production.
Eur. J. Immunol., **14**: 431-435 (1984)
- 151 Forsgren, S., Pobor, G., Coutinho, A. & Pierres, M.
The role of I-A/E molecules in B lymphocyte activation. I. Inhibition of lipopolysaccharide-induced responses by monoclonal antibodies.
J. Immunol., **133**: 2104-2110 (1984)
- 152 Kindt, T.J. & Coutinho, A.
More sources of antibody diversity.
Nature, **304**: 468-469 (1983)
- 153 Coutinho, A. & Meo, T.
Immunoglobulin gene expression by T lymphocytes.
Scand. J. Immunol., **18**: 79-100 (1983)
- 154 Vaz, N., Martinez-A., C. & Coutinho, A.
The uniqueness and boundaries of the idiotypic self.

In: *Idiotypy in Biology and Medicine*, Köhler, H., Cazenave, P.-A. & Urbain, J. (eds.), Academic Press, New York, pp. 43-59 (1984)
- 155 Holmberg, D., Forsgren, S., Forni, L., Ivars, F. & Coutinho, A.
Idiotypic determinants of natural IgM antibodies which resemble self Ia antigens.
Proc. Natl. Acad. Sci. USA, **81**: 3175-3179 (1984)
- 156 Ivars, F., Holmberg, D., Cazenave, P.-A. & Coutinho, A.
The immune response to bacterial dextrans. IV. Antibody idiotypes.
J. Immunol., **132**: 1679-1686 (1984)
- 157 Holmberg, D., Forsgren, S., Ivars, F. & Coutinho, A.
Reactions among IgM antibodies derived from normal, neonatal mice.
Eur. J. Immunol., **14**: 435-441 (1984)
- 158 Coutinho, A.
Is there a logic in the immune system ?

In: *Progress in Immunology V*, Yamamura, Y. & Tada, T. (eds.), Academic Press, Tokyo, pp. 543-553 (1984)
- 159 Forsgren, S., Holmberg, D., Ivars, F. & Coutinho, A.
Anti-Ia.7 antibodies recognize a "major" idio type of the anti-TNP antibody response in BALB/c mice.
Ann. Immunol. (Inst. Pasteur), **135 C**: 157-162 (1984)

- 160 Martinez-A., C., Pereira, P., Bernabé, R.R., Bandeira, A., Larsson, E.-L., Cazenave, P.-A. & Coutinho, A.
Internal complementarities in the immune system: regulation of the expression of helper T-cell idiotypes.
Proc. Natl. Acad. Sci. USA, **81**: 4520-4523 (1984)
- 161 Coutinho, A., Pobor, G., Pettersson, S., Leandersson, T., Forsgren, S., Pereira, P., Bandeira, A. & Martinez -A., C.
T cell-dependent B cell activation.
Immunol. Rev., **78**: 211-224 (1984)
- 162 Larsson, E.-L., Gullberg, M., Bandeira, A. & Coutinho, A.
Activation and growth requirements for cytotoxic and noncytotoxic T lymphocytes.
Cell. Immunol., **89**: 223-231 (1984)
- 163 Coutinho, A., Forni, L., Holmberg, D., Ivars, F. & Vaz, N.
From an antigen-centered, clonal perspective of immune responses to an organism-centered, network perspective of autonomous activity in a self-referential immune system.
Immunol. Rev., **79**: 151-168 (1984)
- 164 Dighiero, G., Lymberi, P., Holmberg, D., Lundquist, I., Coutinho, A. & Avrameas, S.
High frequency of natural autoantibodies in normal newborn mice.
J. Immunol., **134**: 765-771 (1985)
- 165 Ruuth, E., Ranby, M., Friedrich, B., Persson, H. Goustin, A., Leandersson, T., Coutinho, A. & Lundgren, E.
Mycoplasma mimicry of lymphokine activity in T cell lines.
Scand. J. Immunol., **21**: 593-600 (1985)
- 166 D'Imperio Lima, M.R., Joskowicz, M., Coutinho, A., Kipnis, T.L. & Eisen, H.
Very large and isotypically atypical polyclonal plaque-forming cell responses in mice infected with *Trypanosoma cruzi*.
Eur. J. Immunol., **15**: 201-203 (1985)
- 167 Kleine, B. & Coutinho, A.
Functional recognition of bacterial mitogens by B lymphoma cells: reactivity of WEHI279.1 to lipopolysaccharide and selection of nonreactive variants.
J. Immunol., **135**: 2541-2545 (1985)
- 168 Forsgren, S., Martinez -A., C. & Coutinho, A.
The role of I-A/E molecules in B lymphocyte activation. II. Mechanism of inhibition of the responses to lipopolysaccharide by anti-I-A/E antibodies.
Scand. J. Immunol., **25**: 225-234 (1987)
- 169 Coutinho, A.
MHC restriction in T cell/B cell interactions.
Ann. Immunol. (Inst. Pasteur), **135 D**: 71-109 (1984)

- 170 Coutinho, A.
Immunologins plats inom biologisk forskning och medicinsk utbildning.
In: *Läkarutbildning och Medicinsk forskning i Umea 25 ar*, Stigbrand, T. (ed.), pp. 33-38 (1984)
- 171 Coutinho, A. & Forni, L.
Beware of idiotypes.
J. Mol. Cell. Immunol., **1**: 345-346 (1984)
- 172 Kleine, B., Bessler, W. & Coutinho, A.
Segregation of reactivity to the mitogens lipopolysaccharide, lipoprotein and dextran sulfate in clones of the B cell lymphoma line WEHI 279.1.
Eur. J. Immunol., **15**: 207-209 (1985)
- 173 Coutinho, A., Holmberg, D., Martinez-A., C., de Freitas, A., Larsson, E.-L., Pereira, P. & Bandeira, A.
Internal activity of the immune system and its physiologic significance.
Haematology and Blood Transfusion. Vol. **29**. In: Modern Trends in Human Leukemia VI, Neth, R. (ed.), pp. 477-480 (1985)
- 174 Martinez-A., C., Pereira, P., De la Hera, A., Bandeira, A., Marquez, C. & Coutinho, A.
The basis for Major Histocompatibility Complex (MHC) and immunoglobulin gene control of helper T cell idiotopes.
Eur. J. Immunol., **16**: 417-422 (1986)
- 175 Bandeira, A., Pereira, P., Martinez-A., C. & Coutinho, A.
Interactions of small B lymphocytes with unprimed noncytolytic T cells: dissociation between "presentation" and growth induction.
Eur. J. Immunol., **15**: 865-872 (1985)
- 176 Gullberg, M. & Coutinho, A.
Activation of Lyt-2⁺ T cells by antibodies towards brain-associated antigens. II. Antibody-dependent induction of "nonspecific", cell-mediated cytotoxicity.
Eur. J. Immunol., **15**: 971-976 (1985)
- 177 Björklund, M., Pettersson, S. & Coutinho, A.
Ontogenic development of "natural" and induced plaque-forming cell isotypes in normal mice.
Eur. J. Immunol., **15**: 1003-1007 (1985)
- 178 Lundkvist, I., Holmberg, D., Ivars, F. & Coutinho, A.
The immune response to bacterial dextrans. III. Ontogenic development and strain distribution of specific clonal precursors.
Eur. J. Immunol., **16**: 957-962 (1986)
- 179 Karray, S., Lymberi, P., Avrameas, S. & Coutinho, A.
Quantitative evidence against inactivation of self-reactive B cell clones.
Scand. J. Immunol., **23**: 475-480 (1986)

- 180 Freitas, A.A., Rocha, B. & Coutinho, A.
Life span of B lymphocytes: the experimental basis for conflicting results.
J. Immunol., **136**: 470-476 (1986)
- 181 Freitas, A.A., Rocha, B. & Coutinho, A.
Two major classes of mitogen-reactive B lymphocytes defined by life-span.
J. Immunol., **136**: 466-469 (1986)
- 182 Martinez-A., C., Bernabé, R.R., De la Hera, A., Pereira, P., Cazenave, P.-A. & Coutinho, A.
Establishment of idiotypic helper T-cell repertoires early in life.
Nature, **317**: 721-723 (1985)
- 183 Pereira, P., Larsson, E.-L., Forni, L., Bandeira, A. & Coutinho, A.
Natural effector T lymphocytes in normal mice.
Proc. Natl. Acad. Sci. USA, **82**: 7691-7695 (1985)
- 184 Holmberg, D., Wennerström, G., Andrade, L. & Coutinho, A.
The high idiotypic connectivity of “natural” newborn antibodies is not found in adult mitogen-reactive B cell repertoires.
Eur. J. Immunol., **16**: 82-87 (1986)
- 185 Minoprio, P., Eisen, H., Forni, L., d’Imperio Lima, M.R., Joskowicz, M. & Coutinho, A.
Polyclonal lymphocyte responses to murine *Trypanosoma cruzi* infection. I. Quantitation of both T- and B-cell responses.
Scand. J. Immunol., **24**: 661-668 (1986)
- 186 Minoprio, P., Coutinho, A., Joskowicz, M., d’Imperio Lima, M.R. & Eisen, H.
Polyclonal lymphocyte responses to murine *Trypanosoma cruzi* infection. II. Cytotoxic T lymphocytes.
Scand. J. Immunol., **24**: 669-679 (1986)
- 187 Pereira, P., Forsgren, S., Portnoi, D., Bandeira, A., Martinez-A., C. & Coutinho, A.
The role of immunoglobulin receptors in “cognate” T-B cell collaboration.
Eur. J. Immunol., **16**: 355-361 (1986)
- 188 Martinez-A., C., Coutinho, A., Bandeira, A., De la Hera, A., Toribio, M., Marcos, M.A.R. & Pereira, P.
Sporadic idiotypic cross-reactivities between antibodies and T helper cells: one example of aleatory expression of T cell idiotypes.
J. Mol. Cell. Immunol., **3**: 21-28 (1987)
- 189 Martinez-A., C., Pereira, P., Cazenave, P.-A. & Coutinho, A.
The mutual selective influences of T- and B- cell repertoires: the idiotypic net (at) work.
Ann. Inst. Pasteur/Immunol., **137 C**: 82-84 (1986)

- 190 Holmberg, D., Portnoi, D, Jacquemart, F, Forsgren, S, Araujo, P, Andrade, L., Lundqvist, I. & Coutinho, A.
The repertoire of naturally activated B cells suggests the functionality of the idiotypic network.
Ann. Inst. Pasteur/Immunol., **137 C**: 85-87 (1986)
- 191 Martinez-A., C., Bragado, R., De la Hera, A., Toribio, M.L., Marcos, M.A.R., Bandeira, A., Pereira, P. & Coutinho, A.
Functional and biochemical evidence for the recognition of T cell receptors by monoclonal antibodies to an immunoglobulin idiotype.
J. Mol. Cell. Immunol., **2**: 307-313 (1986)
- 192 Björklund, M., Beretta, A., Coutinho, A. & Gullberg, M.
Effector functions and specificities of normal murine T cells stimulated by syngeneic blasts.
Eur. J. Immunol., **16**: 471-477 (1986)
- 193 Björklund, M., Forni, L. & Coutinho, A.
T cell-dependent modulation of the polyclonal B lymphocyte responses in normal spleen cell cultures stimulated by lipopolysaccharide.
Ann. Inst. Pasteur/Immunologie, **138**: 181-199 (1987)
- 194 Holmberg, D. & Coutinho, A.
Natural antibodies and autoimmunity.
Immunol. Today, **6**: 356-357 (1985)
- 195 Pereira, P., Forni, L., Larsson, E.-L., Cooper, M.D., Heusser, C. & Coutinho, A.
Autonomous activation of B and T cells in antigen-free mice.
Eur. J. Immunol., **16**: 685-688 (1986)
- 196 Freitas, A.A. & Coutinho, A.
Population kinetics of B lymphocytes.

In: *Primary Immunodeficiency Diseases*, Eibl, M.M. & Rosen, F.S. (eds.), Elsevier Publ. Co., Amsterdam, pp. 977-984 (1986)
- 197 d'Imperio Lima, M.R., Eisen, H., Minoprio, P., Joskowicz, M. & Coutinho, A.
Persistence of polyclonal B cell activation with undetectable parasitemia in late stages of experimental Chagas' disease.
J. Immunol., **137**: 353-356 (1986)
- 198 Portnoi, D., Freitas, A., Holmberg, D., Bandeira, A. & Coutinho, A.
Immunocompetent autoreactive B lymphocytes are activated cycling cells in normal mice.
J. Exp. Med., **164**: 25-35 (1986)
- 199 Janeway, C. & Coutinho, A.
Relationship of idiotypes and MHC networks.

In: *6th Ir Gene Workshop*, Oxford, pp. 323-327 (1985)

- 200 Cooper, M.D., Mulvaney, D., Coutinho, A. & Cazenave, P.-A.
A novel cell surface molecule on early B-lineage cells.
Nature, **321**: 616-618 (1986)
- 201 Arala -Chaves, M.P., Ribeiro, A.S., Santarém, M.M.G. & Coutinho, A.
Strong mitogenic effect for murine B lymphocytes of an immunosuppressor substance released by *Streptococcus intermedius*.
Infect. Immunity, **54**: 543-548 (1986)
- 202 Freitas, A.A., Rocha, B. & Coutinho, A.
Lymphocyte population kinetics in the mouse.
Immunol. Rev., **91**: 5-37 (1986)
- 203 Pereira, P., Martinez-A., C., Bandeira, A., Freitas, A. & Coutinho, A.
Polyclonal B-cell activation.
Bull. Inst. Pasteur, **84**: 207-232 (1986)
- 204 Martinez-A., C., Toribio, M.L., De la Hera, A., Cazenave, P.-A. & Coutinho, A.
Maternal transmission of idiotypic network interactions selecting available T cell repertoires.
Eur. J. Immunol., **16**: 1445-1447 (1986)
- 205 Martinez-A., C., Pereira, P., De la Hera, A., Toribio, M.L., Marcos, M.A.R., Marquez, C. & Coutinho, A.
A common idiotope on T cell receptors and antibodies expressed in the absence of network selection.
Eur. J. Immunol., **17**: 1391-1394 (1987)
- 206 Martinez-A., C., Marcos, M.A.R., Pereira, P., Marquez, C., Toribio, M., De la Hera, A., Cazenave, P.-A. & Coutinho, A.
Turning (*Irgene*) low responders into high responders by antibody manipulation of the developing immune system.
Proc. Natl. Acad. Sci. USA, **84**: 3812-3816 (1987)
- 207 Freitas, A.A., Guilbert, B., Holmberg, D., Wennerström, G., Coutinho, A. & Avrameas, S.
Analysis of autoantibody reactivities in hybridoma collections derived from normal adult BALB/c mice.
Ann. Inst. Pasteur/Immunol., **137 D**: 33-34 (1986)
- 208 Holmberg, D., Freitas, A.A., Portnoi, D., Jacquemart, F., Avrameas, S. & Coutinho, A.
Antibody repertoires of normal BALB/c mice: B lymphocyte populations defined by state of activation.
Immunol. Rev., **93**: 147-169 (1986)
- 209 Kleine, B., Biesert, L., Dölker, I., Sprenger, R., Vordermeier, M., Coutinho, A. & Bessler, W.

Functional recognition of bacterial mitogens by reactive B lymphocytes related to membrane protein composition.

In: *NATO ASI Series: The Cell Surface in Signal Transduction*, Vol. **H12**, Wagner, E. et al. (eds.), Springer Verlag, Berlin, Heidelberg, pp. 87-99 (1987)

- 210 Martinez-A., C., Toribio, M.L., De la Hera, A., Marquez, C., Marcos, M.A.R., Coutinho, A. & Pereira, P.
Idiotype sharing between B and T lymphocytes reflects autonomous self-responses within the immune system.
In: *Idiotypes*, Capra, J.D. & Reichlin, M. (eds.), Academic Press, New York, pp. 263-274 (1986)
- 211 Araujo, P.M.F., Holmberg, D., Martinez -A., C. & Coutinho, A.
Idiotypic multireactivity of “natural” antibodies: “natural” anti-idiotypes also inhibit helper cells with cross-reactive clonotypes.
Scand. J. Immunol., **25**: 497-505 (1987)
- 212 Coutinho, A., Marquez, C., Araujo, P.M.F., Pereira, P., Toribio, M.L., Marcos, M.A.R. & Martinez -A., C.
A functional idiotypic network of T helper cells and antibodies, limited to the compartment of “naturally” activated lymphocytes in normal mice.
Eur. J. Immunol., **17**: 821-825 (1987)
- 213 Bandeira, A., Larsson, E.-L., Forni, L., Pereira, P. & Coutinho, A.
“*In vivo*” activated splenic T cells are refractory to interleukin 2 growth “*in vitro*”.
Eur. J. Immunol., **17**: 901-908 (1987)
- 214 Minoprio, P., d’Imperio Lima, R., Araujo, P., Joskowicz, M., Eisen, H. & Coutinho, A.
Lymphocyte activity in mice infected with *Trypanosoma Cruzi*.
In: *Parasitic Infections, Immunology, Macotic Infections, General Topics*, Vol. **III**, Marget, W., Lang, W. & Gabler-Sandberger, E. (eds.), M.M.V. Med. Verlag, München, pp. 237-239 (1986)
- 215 Lundkvist, I., Ivars, F., Holmberg, D. & Coutinho, A.
The Immune response to bacterial dextrans. V. A “dominant” idio type in IgCHb mice.
J. Immunol., **138**: 4395-4401 (1987)
- 216 Lévy, M. & Coutinho, A.
Long-lived B cells: mitogen reactivity as a tool for studying their life spans.
Eur. J. Immunol., **17**: 295-298 (1987)
- 217 Lévy, M, Vieira, P., Coutinho, A. & Freitas, A.
The majority of “natural” immunoglobulin -secreting cells are short-lived and the progeny of cycling lymphocytes.
Eur. J. Immunol., **17**: 849-854 (1987)
- 218 Falanga, P.B., d’Imperio Lima, M.R., Coutinho, A. & Pereira da Silva, L.
Isotypic pattern of the polyclonal B cell response during primary infection by *Plasmodium Chabaudi* and in immune-protected mice.
Eur. J. Immunol., **17**: 599-603 (1987)
- 219 Minoprio, P., Eisen, H., Joskowicz, M., Pereira, P. & Coutinho, A.
Suppression of polyclonal antibody production in *Trypanosoma Cruzi* -infected mice by treatment with anti-L3T4 antibodies.
J. Immunol., **139**: 545-550 (1987)

- 220 Larsson-Sciard, E.-L. & Coutinho, A.
A compartment of effector helper and suppressor T cells in the normal mouse thymus.
Ann. Inst. Pasteur/Immunol., **139**: 55-70 (1988)
- 221 Coutinho, A. & Avrameas, S.
Auto-immunity in physiology and pathology.
In: *Yearbook of the Medical Institute for Environmental Hygiene*, Vol. **19**, Berger, K. (ed.),
Gesellschaft zur Förderung der Lufthygiene und Silikoseforschung e.v. Düsseldorf, pp.
63-67 (1987)
- 222 Bandeira, A., Coutinho, A., Martinez -A., C. & Pereira, P.
The origin of “natural antibodies” and the internal activity in the immune system.
Intern. Rev. Immunol., **3**: 47-58 (1988)
- 223 Martinez-A., C., Marcos, MAR, De la Hera, A., Marquez, C., Alonso, J.M., Toribio,
M.L. & Coutinho, A.
Immunological consequences of HIV infection: advantage of being low responder casts
doubts on vaccine development.
Lancet, **1**: 454-456 (1988)
- 224 Martinez-A., C., Pereira, P., Toribio, M.L., Marcos, M.A.R., Bandeira, A., De la Hera,
A., Marquez, C., Cazenave, P.-A. & Coutinho, A.
The participation of B cells and antibodies in the selection and maintenance of T cell
repertoires
Immunol. Rev., **101**: 191-215 (1988)
- 225 Jacquemart, F. & Coutinho, A.
Observer, immune system and their respective objects (About self- non-self
discrimination).
In: *The Semiotics of Cellular Communication in the Immune System*, NATO ASI Series, Series
H: Cell Biology, Vol. **23**, Sercarz, E.E., Celada, F., Mitchinson, N.A. & Tada, T. (eds.),
Springer Verlag, Heidelberg & Berlin, pp. 173-181 (1988)
- 226 Portnoï, D., Lundkvist, I. & Coutinho, A.
On the validity of using lipopolysaccharide-driven limiting dilution systems for clonable
B-cells to analyse functional antibody repertoires.
Scand. J. Immunol., **27**: 445-450 (1988)
- 227 Coutinho, A.
Immunobiology of B lymphocytes.

In *Lymphocyte Activation and Differentiation*, Mani, J.C. & Dornand, J. (eds.), Walter de
Gruyter, Berlin, New York, pp. 553-556 (1988)
- 228 Portnoï, D., Lundkvist, I. & Coutinho, A.
Inverse correlation between the utilization of an idiootype in specific immune responses
and its representation in pre-immune “natural” antibodies.
Eur. J. Immunol., **18**: 571-576 (1988)
- 229 Varela, F., Coutinho, A., Dupire, B. & Vaz, N.
Cognitive networks: immune, neural and otherwise.

In *Theoretical Immunology*, Vol. **III**, Perelson, A.S. (ed.), Addison-Wesley Publ. Co., Inc., Redwood City, California, pp. 359-374 (1988)

- 230 Andrade, L., Martinez-A., C. & Coutinho, A.
 Mother-derived selection of immune repertoires: nongenetic transmission of developmental choices.
 In: *The Immunology of the Fetus*, Chaouat, G. (ed.), CRC Press, pp. 187-192 (1989)
- 231 Bandeira, A., Martinez-A., C., Pereira, P., Larsson-Sciard, E.-L. & Coutinho, A.
 Questions on the emergence of T-cell repertoires.
 In: *The Immunology of the Fetus*, Chaouat, G. (ed.), CRC Press, PP. 5-10 (1989)
- 232 Coutinho, A.
 Tolerance to self as a global behaviour of the immune system based upon the connectivity of auto-reactive lymphocytes.
 In: *The Tolerance Workshop*, Vol. **3**, Matzinger, P., Flajnik, M., Rammensee, H.-G., Stockinger, G., Polnik, T. & Nicklin, L. (eds.), Editions Roche, Basel, pp. 54-74 (1988)
- 233 Forni, L. & Coutinho, A.
 The V γ 8 gene family is preferentially used by "naturally" activated T cells.
Scand. J. Immunol., **28**: 69-74 (1988)
- 234 Marcos, M.A.R., De la Hera, A., Pereira, P., Marquez, C., Toribio, M., Coutinho, A. & Martinez -A., C.
 B cell participation in the recursive selection of T cell repertoires.
Eur. J. Immunol., **18**: 1015-1020 (1988)
- 235 Burlen, O., Coutinho, A. & Freitas, A.
 Long-lasting thymus-independent immune responses to anti-idiotypic lipopolyaccharide conjugates require continuous B cell renewal.
Eur. J. Immunol., **18**: 1433-1439 (1988)
- 236 Freitas, A., Burlen, O. & Coutinho, A.
 Selection of antibody repertoires by anti-idiotypes can occur at multiple steps of B cell differentiation.
J. Immunol., **140**: 4097-4102 (1988)
- 237 Russo, M., Starobinas, N., Minoprio, P., Coutinho, A. & Hontebeyrie-Joskowicz, M.
 Parasitic load increases and myocardial inflammation decreases in *Trypanosoma Cruzi*-infected mice after inactivation of helper T cells.
Ann. Inst. Pasteur/Immunol., **139**: 225-236 (1988)
- 238 Cazenave, P.-A., Martinez -A., C. & Coutinho, A.
 Differential L chain expression in the antibody responses to phosphorylcholine of adult bone marrow of peritoneum-derived B lymphocytes.
J. Immunol., **142**: 8-11 (1989)
- 239 Lundkvist, I., Portnoï, D. & Coutinho, A.
 The immune response to bacterial dextrans. VI. No correlation between the frequency of cells expressing a major anti-dextran idiotypic and the idiotypic profiles of specific antibody responses.
Scand. J. Immunol., **29**: 427-437 (1989)

- 240 Lundkvist, I., Portnoi, D. & Coutinho, A.
Idiotypic-specific regulation might contribute to specific unresponsiveness in dextran - primed mice.
Res. Immunol., **140**: 7-18 (1989)
- 241 Huetz, F., Sciard-Larsson, E.-L., Pereira, P., Portnoi, D. & Coutinho, A.
T cell dependence of “natural” autoreactive B cell activation in the spleen of normal mice.
Eur. J. Immunol., **18**: 1615-1622 (1988)
- 242 Forni, L., Björklund, M. & Coutinho, A.
Membrane expression of IgG but not maturation to secretion requires DNA replication.
J. Mol. Cell. Immunol., **4**: 59-70 (1988)
- 243 Pereira, P., Larsson-Sciard, E.-L., Coutinho, A. & Bandeira, A.
Suppressor versus cytolytic CD8⁺ T lymphocytes: where are the artefacts ? (Edit.)
Scand. J. Immunol., **27**: 625-628 (1988)
- 244 Forni, L., Heusser, C. & Coutinho, A.
Natural lymphocyte activation in postnatal development of germ-free and conventional mice.
Ann. Inst. Pasteur/Immunol., **139**: 245-256 (1988)
- 245 Lundkvist, I., Coutinho, A., Varela, F. & Holmberg, D.
Evidence for a functional idiotypic network among natural antibodies in normal mice.
Proc. Natl. Acad. Sci. USA, **86** : 5074-5078 (1989)
- 246 Bandeira, A., Coutinho, A., Carnaud, C., Jacquemart, F. & Forni, L.
Transplantation tolerance correlates with high levels of T- and B-lymphocyte activity.
Proc. Natl. Acad. Sci. USA, **86**: 272-276 (1989)
- 247 Lévy, M., Bandeira, A., Forni, L. & Coutinho, A.
A phenotypic and functional analysis of long-lived B and T lymphocytes.
Cell. Immunol., **117**: 327-338 (1988)
- 248 Minoprio, P., Burlen, O., Pereira, P., Guilbert, B., Andrade, L., Hontebeyrie-Joskowicz, M. & Coutinho, A.
Most B cells in acute *Trypanosoma cruzi* infection lack parasite specificity.
Scand. J. Immunol., **28**: 553-561 (1988)
- 249 Freitas, A., Pereira, P., Huetz, F., Thomas-Vaslin, V., Pena-Rossi, C., Andrade, L., Sundblad, A., Forni, L. & Coutinho, A.
B cell activities in normal unmanipulated mice.
In: *B Cells and B Cell Products: Contributions to Microbiology and Immunology*, Del Guercio, P. (ed.), S. Karger A.G., **11** : 1-26 (1989)

- 250 Varela, F., Sanchez -Leighton, V. & Coutinho, A.
Adaptive strategies gleaned from immune networks: Viability theory and comparison with classifier Systems.
In: *Theoretical Biology : Epigenetic and Evolutionary Order* (A Waddington Memorial Conference) Goodwin, B. and Saunders, P.T. (eds.), Edinburgh University Press., pp. 112-123 (1989)
- 251 Martinez-A., C., Bandeira, A., Toribio, M.L., Coutinho, A., Marcos, M.A.R. & Pereira, P.
Back stimulation of B lymphocytes binding to helper T cell surface antigens.
Eur. J. Immunol., **18**: 2895-1899 (1988)
- 252 Pereira, P., Bandeira, A., Kleine, B., Marquez, C., Coutinho, A. & Martinez-A., C.
A model system for the analysis of B-cell activation and effector T-cell functions. T cell-dependent B-cell responses facilitated by anti-I-A antibodies.
Scand. J. Immunol., **29**: 49-56 (1989)
- 253 Minoprio, P., Andrade, L., Lembezat, M.-P., Ozaki, L.S. & Coutinho, A.
Indiscriminate representation of V_H- gene families in the murine B lymphocyte responses to *TrypanosomaCruzi*
J. Immunol., **142**: 4017-4021 (1989)
- 254 Sundblad, A., Hauser, S., Holmberg, D., Cazenave, P.-A. & Coutinho, A.
Suppression of antibody responses to the acetylcholine receptor by natural antibodies.
Eur. J. Immunol., **19** : 1425-1430 (1989)
- 255 Ribeiro, A.S., Arala -Chaves, M.P., Vilanova, M., Porto, M.T. & Coutinho, A.
Role of B and T lymphocytes in the specific immunosuppression induced by a protein released by porcine monocytes infected with African swine fever virus.
Int. Immunol. , **2** : 165-174 (1991)
- 256 Pereira, P., Bandeira, A. & Coutinho, A. Marcos, M.A.R., Toribio, M. & Martin ez-A., C.
V-region connectivity in T cell repertoires.
Ann. Rev. Immunol., Vol. **7**: 209-249 (1989)
- 257 Huetz, F., Poncet, P., Coutinho, A. & Portnoï, D.
Ontogenetic development of autoantibody repertoires in spleen and peritoneal cavity of normal mice: examples of T cell-dependent and -independent reactivities.
Eur. J. Immunol., **19** : 1195-1202 (1989)
- 258 Coutinho, A., Grandien, A., Faro -Rivas, J., & Mota -Santos, T.A.
Idiotypes, tailors and networks.
Ann. Inst. Pasteur/Immunol., **139**: 599-607 (1988)
- 259 Huetz, F., Jacquemart, F., Pena Rossi, C. , Varela, F. & Coutinho, A.
Autoimmunity: the moving boundaries between physiology and pathology.

J. Autoimmunity, **1**: 507-518 (1988)

- 260 Varela, F. J. and Coutinho, A.
Immunknowledge : the immune system as a learning process of somatic individuation.
In : *The Reality Club*. Brockman, J. (Ed), New York, Prentice Hall Press (Pb) pp 237-256 (1991).
- 261 Minoprio, P., Bandeira, A., Pereira, P., Mota Santos, T. and Coutinho, A.
Preferential expansion of Ly-1 B and CD4⁻CD8⁻ T cells in the polyclonal lymphocyte responses to murine *T. cruzi* infection.
Intern.Immunol., **1**: 175-184 (1989)
- 262 Carlsson, L., Andersson, A., Hillörn, V., Forsgren, S., Coutinho, A. & Holmberg, D.
V-region connectivity determining immune reactivities.

In: *The Immune Response to Structurally Defined Proteins: The Lysozyme Model*, Smith-Gill, S.J. & Sercarz, E. (eds.), Adenine Press, Inc., New York, pp. 369-374 (1989)
- 263 Freitas, A.A., Lembezat, M.-P. & Coutinho, A.
Expression of antibody V-regions is genetically and developmentally controlled and modulated by the B lymphocyte environment.
Int. Immunol., **1** : 342-354 (1989).
- 264 Ermonval, M., Pena Rossi, C. & Coutinho, A.
Differential binding of natural monoclonal antibodies to the surface of fixed or living cells.
Scand. J. Immunol., **30**, 321-331 (1989).
- 265 Freitas, A.A., Andrade, L., Lembezat, M.-P. & Coutinho, A.
Selection of V_H gene repertoires: differentiating B cells of adult bone marrow mimic fetal development.
Int.Immunol., **2** : 15-23 (1990)
- 266 Stewart, J., Varela, F.J. & Coutinho, A.
The relationship between connectivity and tolerance as revealed by computer simulation of the immune network: some lessons for an understanding of autoimmunity.
J. Autoimmunity, **2** : 15-23 (1989)
- 267 Pena Rossi, C., Pereira, P., Portnoi, D. & Coutinho, A.
MHC-linked and T cell-dependent selection of antibody repertoires. Quantitation of I-E-related specificities in normal mice.
Eur.J.Immunol., **19** : 1941-1946 (1989).
- 268 Coutinho, A.
Immunity versus immunobiology of infections: an outsider's view on lymphocyte repertoires, activities and organization in normal and infected mice.
Mem. Inst. Oswaldo Cruz, **83** Suppl. I: 236-239 (1988)
- 269 Abraham, E., Freitas, A.A. & Coutinho, A.
Hemorrhage in mice produces alterations in B cell repertoires.
Cell. Immunol., **122**: 208-217 (1989)

- 270 Andrade, L., Freitas, A.A., Huetz, F., Poncet, P. & Coutinho, A.
Immunoglobulin V_H gene expression in Ly-1⁺ and conventional B lymphocytes.
Eur. J. Immunol., **19** : 1117-1122 (1989)
- 271 Weksler, M.E., Schwab, R., Huetz, F., Tai Kim, Y. & Coutinho, A.
Cellular basis for the age-associated increase in autoimmune reactions.
Int.Immunol., **2** : 329-335 (1990)
- 272 Coutinho, A. and Stewart, J.
A hundred years of immunology. Paradigms, Paradoxes and Perspectives.
In : *Immunology : Pasteur's Heritage*, P. A. Cazenave and G. P. Talwar. (Ed), New Delhi, Wiley Eastern Limited (Pb), pp. 175-199 (1991).
- 273 Poncet, P., Reininger, L., Freitas, A., Holmberg, D., Dighiero, G. & Coutinho, A.
Expression of V_H1.1-gene family in hybridoma collections from peritoneum and spleen: differential correlation with BrMRBC reactivity.
Res. Immunol., **140** : 255-264 (1989)
- 274 Coutinho, A. & Bandeira, A.
Tolerize one, tolerize them all: Tolerance is self-assertion.
Immunol. Today, **10** : 264-266 (1989)
- 275 Coutinho, A.
Beyond clonal selection and network.
Immunol. Rev. **110** : 63-87 (1989)
- 276 Pereira, P. & Coutinho, A.
I-E-linked control of spontaneous rheumatoid factor production in normal mice.
J.Exp.Med. **170** : 1825-1835 (1989)
- 277 Minoprio, P. & Coutinho, A.
Lymphocyte subpopulations and clonal repertoires participate in immune response to acute *T. Cruzi* infection.
Mem. Inst. Oswaldo Cruz, **83** Suppl. I: 356-359 (1988)
- 278 Russo, M., Minoprio, P., Coutinho, A. & Hontebeyrie-Joskowicz, M.
Depletion of L3T4⁺ T lymphocytes during acute *T.rypanosomaCruzi* infection abolish macrophage and B lymphocyte activation but not tissue inflammatory reaction.
Mem. Inst. Oswaldo Cruz, **83** Suppl. I: 527-538 (1988)
- 279 Cazenave, P.-A., Masmoudi, H., Mota-Santos, T. & Coutinho, A.
Analysis of the cellular origin of T15 idiotype.
In: *Idiotypic Networks in Biology and Medicine*, Osterhaus, A & Uytdehaag, F (Eds.), Excerpta Medica, Amsterdam, pp 65-68 (1990)

- 280 Coutinho, A, Andersson, A, Sundblad, A, Lundkvist, I, Holmberg, D, Arala -Chaves, M, Stewart, J & Varela, F.
The dynamics of immune networks.
In: *Idiotypic Networks in Biology and Medicine*, Osterhaus, A & Uytdehaag, F (eds.), Excerpta Medica, Amsterdam , 59-63 (1990)
- 281 Coutinho, A.
The physiology of auto-immune reactivities.
In: *1989 Yakult Internat. Symp. "Frontiers in Immunology"* Yakult Honsha Co. Ltd., Tokyo 7-16 (1990)
- 282 Coutinho, A., Bandeira, A., Pereira, P., Portnoi, D., Holmberg, D., Martinez-A., C. & Freitas, A.
Selection of lymphocyte repertoires: the limits of clonal versus network organization.
In: *Symposia on Quantitative Biology*, Cold Spring Harbor Laboratory, N.Y. **54** : 159-170 (1989)
- 283 Marcos, M.A.R., Huetz, F., Pereira, P., Andreu J.L., Martinez -A., C. and Coutinho, A.
Further evidence for coelomic-associated B lymphocytes.
Europ.J.Immunol., **19** : 2031-2035 (1989)
- 284 Weksler, M.E., Schwab, R., Huetz, F. and Coutinho, A.
Cellular basis of autoantibody production in old mice.
Trans. Assoc. Amer. Phys., **102** : 55-58 (1989)
- 285 Freitas, A.A., Viale, A.C., Sundblad, A., Heusser, C. and Coutinho, A.
Normal serum immunoglobulins participate in the selection of peripheral B cell repertoires.
Proc. Natl Acad. Sci. USA, **88**: 5640-5644 (1991)
- 286 Salaun, J., Bandeira, A., Khazaal, I., Calman, F., Coltey, M. , Coutinho, A. and Le Douarin, N.
Thymic epithelium tolerizes for histocompatibility antigens.
Science, **247** : 1471-1474 (1990)
- 287 Minoprio, P., Itohara, Y., Heusser, C., Tonegawa, S. and Coutinho, A.
Immunobiology of murine *T. cruzi* infection : the predominance of parasite-nonspecific responses and the activation of TCRI T cells.
Immunol.Rev., **112** : 183-207, (1989).
- 288 Marcos, M.A.R., Sundblad, A., Grandien, A., Huetz, F, Avrameas, S. and Coutinho, A.
The physiology of autoimmune reactivities.
In : *Progress in Immunology*, **7** : 793-804 (1989)

289 Lafaille, J.J., Haas, W., Coutinho, A. and Tonegawa, S.
Positive selection of ?? T cells.

Immunol.Today, **11** : 75-78 (1990)

- 290 Grandien, A., Coutinho, A. and Anderson, J.
 Selective peripheral expansion and activation of B cells expressing endogeneous immunoglobulin in μ -transgenic mice.
Eur. J. Immunol., **20** : 991-998 (1990)
- 291 Masmoudi, H., Mota-Santos, T, Huetz, F., Coutinho, A. and Cazenave, P.A.
 All T15 Id positive antibodies (but not the majority of V_H T15⁺ antibodies) are produced by peritoneal CD5⁺ B lymphocytes.
Int. Immunol., **2** : 515-520 (1990)
- 292 Mota-Santos, T., Masmoudi, H., Voegtlé, D., Freitas, A., Coutinho, A. and Cazenave, P.A.
 Divergency in the specificity of the induction and maintenance of neonatal suppression.
Eur.J.Immunol., **20** : 1717-1721 (1990)
- 293 Varela F. and Coutinho, A.
 Immune networks : getting on to the real thing.
Res.Immunol., **140** : 837-846 (1990)
- 294 Abraham, A., Freitas, A., & Coutinho, A.
 Purification and characterization of introparenchymal lung lymphocytes.
J. Immunol, **144**: 2117-2122 (1990)
- 295 Sundblad, A., Huetz, F., Portnoi, D. and Coutinho, A.
 Stimulation of B and T cells by *in vivo* high dose immunoglobulin administration in normal mice.
J. Autoimmunity, **4** : 325-339 (1991)
- 296 Varela, F., Andersson, A., Dietrich, G., Sundblad, A., Holmberg, D. Kazatchkine, M. and Coutinho, A.
 Population dynamics of natural antibodies in normal and autoimmune individuals.
Proc. Natl Acad. Sci. USA, **88**: 5917-5921 (1991)
- 297 Gaspar, M. L., Marcos, M. A. R., Pereira, P., Toribio, M. L., Coutinho, A. & Martinez-A, C.
 Selective expansion of idiotypic sharing T and B cells in cyclosporin A-mediated autoimmunity.
Intern. Immunol. **3**: 777-784 (1991)
- 298 Grandien, A., Coutinho, A., Andersson, J. and Freitas, A.
 Endogenous V_H gene family expression in immunoglobulin-transgenic mice : evidence for selection of antibody repertoires.
Intern.Immunol. **3** : 67-73 (1991)
- 299 Andrade, L, Huetz, F. , Poncet, P. , Thomas-Vaslin, V., Goodhardt, M. and Coutinho, A.
 Biased V_H gene expression in murine CD5 B cells results from age-dependent cellular selection.
Eur. J. Immunol., **21** : 2017-2023 (1991)

- 300 Pena Rossi, C., Cash D., Aubert, C. and Coutinho, A.
Role of the humoral immune response in resistance to Theiler's virus infection.
J. Virology, **65** : 3895-3899 (1991)
- 301 Cazenave, P.A., Marche, P.N., Jouvin -Marche, E., Voegtlé, D., Bonhomme, F.,
Bandeira, A. and Coutinho, A.
V?17 gene polymorphism in wild -derived mouse strains : two amino acid substitutions
in the V? 17 region greatly alter T cell receptor specificity.
Cell, **63** : 717-728 (1990)
- 302 Bandeira, A., Mota-Santos, T., Itohara, S., Degermann, S., Heusser, C., Tonegawa, S.
and Coutinho, A.
Localization of ? ? ? ? ? ? cells to the intestinal epithelium is independent of normal
microbial colonization
J. Exp. Med., **172** : 239-244 (1990)
- 303 Faro, J., Marcos, M.A.R., Andreu, J.L., Martinez-A, C. and Coutinho, A.
Inside the thymus, Mls antigen is exclusively presented by B lymphocytes.
Res. Immunol., **140** : 723-737 (1990)
- 304 Minoprio, P., Coutinho A., Spinella, S. and Hontebeyrie-Joskowicz, M.
Xid immunodeficiency imparts increased parasite clearance and resistance to pathology
in experimental Chagas' disease.
Int. Immunol., **3** : 427-433 (1991)
- 305 Bandeira, A., Itohara, S., Bonneville, M., Burlen-Defranoux, O., Mota -Santos, T.,
Coutinho, A. and Tonegawa, S.
Extrathymic origin of intestinal intraepithelial lymphocytes bearing T-cell antigen
receptor ? ? .
Proc. Natl. Acad. Sci. USA **88**: 43-47 (1991)
- 306 D'Imperio Lima, M.R., Bandeira, A., Falanga, P., Freitas, A.A., Kipnis, T., Pereira da
Silva, L. and Coutinho, A.
Clonal analysis of lymphocyte responses to *Plasmodium chabaudi* infection of normal and
immunoprotected mice.
Intern. Immunol, **3** : 1207-1216 (1991)
- 307 Marcos, M.A.R. , Sundblad, A., Malanchere, E. and Coutinho, A.
Peritoneal B cells regulate the numbers of allotype-matched pre-B and B cells in bone-
marrow.
Proc. Natl Acad. Sci. USA, **88**: 9944-9948 (1991)
- 308 Sundblad, A., Marcos , M. A.R. , Huetz , F. , Freitas, A., Heusser , C., Portnoi, D. and
Coutinho, A.
Normal serum immunoglobulins influence the numbers of bone marrow pre-B and B
cells
Eur. J. Immunol., **21** : 1155-1161 (1991)
- 309 Thomas-Vaslin, V. , Andrade, L., Freitas, A. and Coutinho, A.

Clonal persistence of B lymphocytes in normal mice is determined by variable region-dependent selection

Eur. J. Immunol., **21** : : 2239-2246 (1991)

- 310 Nardi, N., Freitas, A.A. and Coutinho, A.
Selection of anti-F protein B-cell repertoires in normal mice.
Res. Immunol. **141** : 711-721 (1990)
- 311 Coutinho, A.
Immune System
Encyclopedia of Human Biology, **4** : 323-336, Academic Press, New York (1991)
- 312 Varela, F.J. and Coutinho, A.
Second generation immune networks.
Immunol.Today, **12** : 159-165 (1991)
- 313 Bandeira, A., Mengel, J. and Coutinho, A.
Tolerance is self assertion : Implications in clinical transplantation.
In : *Club de la Transplantation : La Tolérance* Cilag-Ortho Ed., pp. 5-10 (1990)
- 314 Coutinho, A.
Editorial
Rev. Port.Doencas Infec., **13** : 72-74 (1990)
- 315 Bandeira, A., Mengel, J., Burlen-Defranoux, O. & Coutinho, A.
Proliferative T cell anergy to Mls-1^a does not correlate with *in vivo* tolerance
Int. Immunol. **3** : 923-931 (1991)
- 316 Coutinho, A.
Size and connectivity : a bit of the history of Immune Networks.
J. Theor.Biol., **149** : 425-427 (1991)
- 317 Cury El Cheikh, M., Hontebeyrie-Joskowicz, M., Coutinho, A. and Minoprio, P.
CD5 B cells : potential role in the (auto)immune responses to *Trypanosoma cruzi* infection
Ann. N.Y. Acad. Sci.: CD5B cells in Development and Disease. L.A. Herzenberg, G. Hanghton and K. Rajewsky (Eds), **651** : 557-563 (1992)
- 318 Marcos, M. A. R., Malanchère, E. Sundblad, A., Huetz, F., Grandien, A., Martinez-A, C. and Coutinho A.
Coelomic and bone marrow-derived B cells : developmental constraints versus antigen-specific selection
Ann. N.Y. Acad. Sci.: CD5B cells in Development and Disease. L.A. Herzenberg, G. Hanghton and K. Rajewsky (Eds), **651** : 433-442 (1992)
- 319 Sundblad, A. and Coutinho, A.
B-lineage cell deficits in bone marrow of *lpr/lpr* mice.
Int. Immunol., **8** : 247-254 (1996)

- 320 Bandeira, A., Coutinho, A., Burlen-Defranoux, O., Khazaal, I., Coltey, H., Jacquemart, F., Le Douarin, N. and Salaün, J.
Thymic epithelium induces neither clonal deletion, nor anergy to Mls 1^a antigens.
Eur. J. Immunol., **22** : 1397-1404 (1992)
- 368 Thomas-Vaslin, V., Coutinho, A. and Huetz, F.
Origin of CD5⁺ B cells and natural IgM-secreting cells : reconstitution potential of adult bone marrow, spleen and peritoneal cells.
Eur. J. Immunol., **22** : 1243-1251 (1992)
- 322 Coutinho, A., Freitas, A.A., Holmberg, D. and Grandien, A.
Expression and selection of murine antibody repertoires.
Intern. Rev. Immunol., **8** : 173-187 (1992)
- 323 Viale, A.C , Coutinho, A. and Freitas, A.A
Differential expression of VH gene families in peripheral B cell repertoires of newborn or adult ImmunoglobulinH chain congenic mice.
J. Exp. Med., **175** : 1449-1456 (1992)
- 324 Coutinho, A.
V-region dependent deletion of bone marrow B lineage cells in normal mice.
In : *Mechanisms of B cell Neoplasia 1991*. Melchers F. & Potters M. (Ed), Roche Editione, Basel, pp. 99-106 (1991)
- 325 Coutinho, A.
O sistema imune : consciência molecular do organismo.
Coloquio/Ciencias, **9** : 43-58 (1992)
- 326 Coutinho, A. and Avrameas, S.
Speculations on immunosomatics : potential diagnostic and therapeutic value of immune homeostasis concepts.
Scand. J. Immunol., **36** : 527-532 (1992)
- 327 Coutinho A., Coutinho, G., Grandien, A., Marcos, M.A.R. and Bandeira, A.
Some reasons why deletion and anergy do not satisfactorily account for natural tolerance.
Res. Immunol., **143** : 345-354 (1992)
- 328 Varela, F.J., Coutinho, A. and Stewart, J.
What is the immune network for ?
Thinking about Biology, W.D. Stein & F.J. Varela (Eds), Addisson Wesley, SFI studies in the Sciences of Complexity, Lect. Note Vol **III**: 215-230 (1993)
- 329 Salaün, J., Bandeira, A., Khazaal, I. , Burlen-Defranoux, O., Thomas-Vaslin, V., Coltey, M., Le Douarin, N. and Coutinho, A.
Transplantation tolerance is unrelated to superantigen-dependent deletion and anergy.

Proc. Natl. Acad. Sci. USA, **89** : 10420-10424 (1992)

- 330 Coutinho, A.
Lymphocyte survival and V-region repertoire selection.
Immunol. Today, **14** : 38-40 (1993)
- 331 Coutinho, A. , Sundblad, A., Marcos, M.A.R., Haury, M. and Nobrega, A.
Physiopathology of autoimmunity : the reactivities of natural antibodies define the boundaries of the immunological self.
In: *Progress in Immunology VIII*, Gergely, J. (Ed.) 603-610 (1992)
- 332 Marcos, M.A.R., Holmberg, D., Gaspar, M.L., Malanchere, E., Martin-Oterino, J.A. and Coutinho, A.
Clinical relevance of immune repertoires in B-cell neoplasia
In : *Monoclonal gammopathies III. Clinical significance and basic mechanisms*, J. Radl and B. van Camp (Eds), Eurage, 9-15 (1991)
- 333 Coutinho, A.
A non-disquisitional conversation on Metchnikoff, Immunology and Science.
Revista Medicina, **6** : 25-29 (1991)
- 334 Grandien, A., Coutinho, A., Viale, A.-C., Freitas, A., Andersson, J. and Marcos, M.A.R.
On the origin of natural IgM in Immunoglobulin transgenic mice.
Int. Immunol., **4**: 1153-1160 (1992)
- 335 Arala -Chaves, M., d'Imperio Lima, M.R., Coutinho, A., Pena-Rossi, C. and Minoprio, P.
V-region-related and -unrelated immunosuppression accompanying infections.
In: *Molecular and cellular basis of virulence and pathogenesis in infection and parasitic diseases, Memorias do Instituto Oswaldo Cruz*, **87**: 35-41 (1992)
- 336 Marcos, M.A.R., Malenchere, E., Burlen-Defranoux, O., Coutinho, A. and Bandeira, A.
B cell-dependent deletion of V β 11 T cells only occurs in early post-natal development.
Developmental Immunol.
- 337 Haury, M., Freitas, A.A., Hermitte, V., Coutinho, A. and Hibner, U.
The physiology of *bcl-2* expression in murine B lymphocytes.
Oncogene, **8**: 1257-1262 (1993)
- 338 Viale, A.-C., Coutinho, A., Heyman, R.A., and Freitas, A.A.
V Region dependent selection of persistent resting peripheral B cells in normal mice.
Int. Immunol. **5**: 599-605 (1993)
- 339 Minoprio, P., Cury El Cheikh, M., Murphy, E., Hontebeyrie-Joskowicz, M., Coffman, R., Coutinho, A., and O'Garra, A.
Xid-associated resistance to experimental Chagas' disease is IFN- γ dependent.
J. Immunol., **151**: 4200-4208 (1993)

- 340 Coutinho, A., Salaün, J., Corbel, C., Bandeira, A. & Le Douarin, N.
The role of thymic epithelium in the establishment of transplantation tolerance
Immunol. Rev. **133**: 225-240 (1993)
- 341 Grandien, A., Coutinho, A. and Stewart, J.
Experimental and theoretical investigations on idiotypic mimicry.
NATO ASI Series Theoretical Immunology, Eds Perelson, A. & Weisbuch G. , **H66** : 459-475 (1992)
- 342 Marcos, M. A. R., Gaspar, M. L., Malanchere, E. and Coutinho, A.
Isolation of peritoneal precursors of B-1 cells in the adult mouse
Europ. J. Immunol., **24**: 1033-1040 (1994)
- 343 Nobrega, A., Haury, M., Grandien, A., Sundblad, A. and Coutinho, A.
The “immunculus” of the natural history of the individual’s molecular composition.
Natural Antibodies (Eds) Schoenfeld, Y., **chap 18**, 295-301 (1993)
- 344 Martinez-A, C., Marcos, M.A.R., de Alboran, I.M., Alonso, J.M., de Cid, R., Kroemer, G. and Coutinho, A.
Functional double-negative T cells in the periphery express T cell receptor V γ gene products regions that cause deletion of single-positive T cells.
Europ. J. Immunol. **23**: 250-254 (1993)
- 345 Thomas-Vaslin, V., Salaün, J., Gajdos, B., Le Douarin, N., Coutinho, A. and Bandeira, A.
Thymic epithelium induces full tolerance to skin and heart but not to B lymphocyte grafts.
Eur. J. Immunol., **25**: 438-445 (1995)
- 346 Haury, M., Grandien, A., Sundblad, A., Coutinho, A. and Nobrega, A.
Global analysis of antibody repertoires. I. An immuno-blot method for the quantitative screening of a large number of reactivities
Scand. J. Immunol., **39**: 79-87 (1994)
- 347 Coutinho, G.C., Delassus, S., Kourilsky, P., Bandeira, A. and Coutinho, A.
Developmental shift in the patterns of interleukin production in early post-natal life.
Eur. J. Immunol., **24**: 1858-1862 (1994)
- 348 Viale, A.-C., Freitas, A., and Coutinho, A.
Regulation of VH-gene expression is a lineage-specific developmental marker.
Eur. J. Immunol., **24**: 1353-1358 (1994)
- 349 Grandien, A., Coutinho, A., Andersson, J.
Development of B cells secreting endogenous or transgene-encoded immunoglobulins in H-chain transgenic mice.
Scand. J. Immunol., **38**: 142-146 (1993)

- 350 Grandien, A., Modigliani, Y., Coutinho, A. and Andersson, J.
Suppression of B cell differentiation by ligation of membrane-bound IgM.
Europ. J. Immunol., **23**: 1561-1565. (1993)
- 351 Modigliani, Y., Pereira, P., Thomas-Vaslin, V., Salaün, J., Coutinho, A., Le Douarin, N. & Bandeira, A.
Regulatory T cells in thymic epithelium-induced tolerance. I. Suppression of mature peripheral non-tolerant T cells.
Eur. J. Immunol., **25**: 2563-2571 (1995)
- 352 Leite de Moraes, M. C., Coutinho, A., Hontebeyrie-Joskowicz, M., Minoprio, P., Eisen, H., and Bandeira, A.
Skewed V γ TCR repertoire of CD8⁺ T cells in murine *Trypanosoma cruzi* infection.
Int. Immunol., **6**: 387-392 (1994)
- 353 Godin, I. E., Garcia-Porrero, J. A., Coutinho, A., Dieterlen-Lièvre, F. and Marcos, M. A. R.
Para-aortic splanchnopleura from early mouse embryos contains B1a cell progenitors.
Nature, **364**: 67-70. (1993)
- 354 Guéret, R., Grandien, A., Andersson, J., Coutinho, A., Radl, J. and Weksler, M.
Evidence for selective pressure in the appearance of monoclonal immunoglobulins during aging: studies in M54 μ -transgenic mice.
Eur. J. Immunol., **23**: 1735-1738. (1993)
- 355 Coutinho, A. & Kazatchkine M.
Autoimmunity Today
In: *Autoimmunity: physiology and disease*, Wiley-Liss (Ed.), NY, **Chap 1**: 3-5 (1994)
- 356 Kazatchkine, M. and Coutinho, A.
Boudaries between physiological autoreactivity and pathological autoimmunity
In: *Autoimmunity: physiology and disease*, Wiley-Liss (Ed.), NY, **Chap 16**: 243-246 (1994)
- 357 Coutinho, A. & Kazatchkine M.
Autoimmunity Tomorrow
In: *Autoimmunity: physiology and disease*, Wiley-Liss (Ed.), NY, **Chap 27**: 433-437 (1994)
- 358 Nobrega, A., Haury, M., Grandien, A., Malanchère, E., Sundblad, A. & Coutinho, A.
Global analysis of antibody repertoires. II. Evidence for specificity, self-selection and the immunological "homunculus" of antibodies in normal serum
Eur. J. Immunol., **23**: 2851-2859 (1993)
- 359 Nagata, T., Freitas, A.A. & Coutinho, A.
VH gene family repertoires in expressed and rearranged VDJH gene amplified from murine spleen cells by the polymerase chain reaction
Bull. Nippon Vet. Anim. Sci. Univ., **41**: 47-55 (1992) (in Japanese)

- 360 Ronda, N., Haury, M., Nobrega, A., Kaveri, S.V., Coutinho, A. & Kazatchkine M.D.
Analysis of natural and disease-associated autoantibody repertoire: anti-endothelial cell IgG autoantibody activity in the serum of healthy individuals and patients with systemic lupus erythematosus
Int. Immunol., **6**: 1651-1660 (1994)
- 361 Ronda, N., Haury, M., Nobrega, A., Coutinho, A. & Kazatchkine M.D.
Selectivity of recognition of variable (V) regions of autoantibodies by intravenous immunoglobulin (IVIg)
Clin. Immunol. Immunopathol., **70**: 124-128 (1994)
- 362 Kazatchkine, M. and Coutinho, A.
Clonal taxonomy versus network physiology. Are lymphocytes concerned with our definition of idiotypes?
Immunol. Today, **14** : 513-515. (1993)
- 363 Viale, A.-C., Chies, J., Huetz, F., Malenchère, E., Weksler, M., Freitas, A. and Coutinho, A.
VH-gene family dominance in aging mice.
Scand. J. Immunol., **39**: 184-188 (1994)
- 364 Grandien, A., Fucs, R., Nobrega, A., Andersson, J. and Coutinho, A.
Negative selection of multireactive B cell clones in normal adult mice.
Eur. J. Immunol., **24**: 1345-1352 (1994)
- 365 Hibner, U. and Coutinho, A.
Signal antonymy: a mechanism for apoptosis induction.
Cell death & diff., **1**: 33-37 (1994)
- 366 Coutinho, A.
Vers une nouvelle immunologie.
Sciences & Vie, hors série, **184**: 110-117 (1993)
- 367 Haury, M., Sundblad, A., Grandien, A., Barreau, C., Coutinho, A. and Nobrega, A.
The repertoire of serum IgM in normal mice is largely independent of external antigenic contact.
Eur. J. Immunol., **27**: 1557-1563 (1997)
- 368 Cazenave, P.-A. and Coutinho, A.
Immunité et vaccination.
Pour la Science, **193**: 42-50 (1993)

369 Coutinho, A.
Por onde vai a imunologia.

Rev. Soc. Port. Immunol, **1**: 19-22 (1996)

- 370 Grandien, A., Modigliani, Y., Freitas, A., Andersson, J. and Coutinho, A.
Positive and negative selection of antibody repertoires along B cell differentiation
Immunol. Rev. **137**: 53-89 (1994)
- 371 Modigliani, Y., Coutinho, G., Burlen-Defranoux, O., Coutinho, A. and
Bandeira, A.
Differential contribution of thymic outputs and post-thymic selection in the
development of peripheral T cell pools.
Eur. J. Immunol., **24**: 1223-1227 (1994)
- 372 Sundblad, A., Marcos, M.A.R., Malanchere, E., Castro, A., Haury, M., Huetz, F.,
Nobrega, A., Freitas, A. and Coutinho, A.
Observations on the mode of action of normal immunoglobulin at high doses
Immunol. Rev., **139**: 125-158 (1994)
- 373 Kazatchkine, M. and Coutinho, A.
Reply to Jefferis
Immunol. Today, **16**: 208 (1995)
- 374 Mouthon, L., Nobrega, A., Nicolas, N., Kaveri, S.V., Barreau, C., Coutinho, A. and
Kazatchkine, M.D.
Invariance and restriction toward a limited set of self-antigens characterize neonatal
IgM antibody repertoires and prevail in autoreactive repertoires of healthy adults.
P.N.A.S., **92**: 3839-3843 (1995)
- 375 Carneiro, J., Stewart, J., Coutinho, A. & Coutinho, G.
The ontogeny of class-regulation of CD4⁺ T lymphocyte populations
Int. Immunol., **7**: 1265-1277 (1995)
- 376 Mouthon, L., Haury, M., Lacroix-Desmazes, S., Barreau, C., Coutinho, A. and
Kazatchkine, M.D.
Analysis of the normal human IgG repertoire: evidence that IgG autoantibodies of
healthy adults recognize a limited and conserved set of protein antigens in
homologous tissues
J. Immunol., **154**: 5769-5778 (1995)
- 377 Malanchere, E., Marcos, M.A.R., Nobrega, A. and Coutinho, A.
Studies on the T cell-dependence of natural IgM and IgG antibody repertoires in
adult mice.
Eur. J. Immunol., **25**: 1358-1365 (1995)
- 378 Modigliani, Y., Thomas-Vaslin V., Bandeira, A., Coltey, M., Le Douarin, N., Coutinho
A. and Salaun, J.
Lymphocytes selected in allogeneic thymic epithelium mediate dominant tolerance
toward tissue grafts of the thymic epithelium haplotype.
P.N.A.S., **92**: 7555-7559 (1995)

- 379 Pereira, P., Gerber, D., Regnault, A., Huang, S.Y., Hermitte, V., Coutinho, A. & Tonegawa, S.
Rearrangement and expression of V β 1, V β 2, and V β 3 TCR β genes in C57BL/6 mice.

Int. Immunol., **8**: 83-90 (1996)

- 380 Haury, M., Malanchère, E., Grandien, A., Barreau, C., Coutinho, A. & Nobrega, A.
Multiparametric analysis of antibody repertoires.

In: *Weir's Handbook of Experimental Immunology*, (5th edition) Herzenberg, L.A., Weir, D.M., Herzenberg, L.A., and Blackwell, C. (Eds.), pp 104.1-104.10, Blackwell Science, Cambridge, MA. (1996)
- 381 D'Imperio Lima, M. R., Alvarez, J. M., Furtado, G. C., Kipnis, T. L., Coutinho, A. and Minoprio, P.
Ig-isotype patterns of primary and secondary B cell responses to *Plasmodium chabaudi chabaudi* correlate with IFN- γ and IL-4 cytokine production and with CD45RB expression by CD4⁺ spleen cells.

Scand. J. Immunol., **43** : 263-270. (1996)
- 382 Ayouba, A., Peltre, G. and Coutinho, A.
Quantitative analysis of multiple V-region interactions among normal human IgG.

Eur. J. Immunol., **26** : 710-716. (1996)
- 383 Lacroix-Desmazes, S., Mouthon, L., Coutinho, A. & Kazatchkine, M.D.
Analysis of the natural human IgG antibody repertoire: life-long stability of reactivities towards self antigens contrasts with age-dependent diversification of reactivities against bacterial antigens.

Eur. J. Immunol., **25**: 2598-2604 (1995)
- 384 Modigliani, Y., Coutinho, A., Pereira, P., Le Douarin, N., Thomas-Vaslin, V., Burlen-Defranoux, O., Salaün, J. & Bandeira, A.
Establishment of tissue-specific tolerance is driven by regulatory T cells selected by thymic epithelium.

Eur. J. Immunol., **26**: 1807-1815 (1996)
- 385 Ferreira, C., Mouthon, L., Nobrega, A., Haury, M., Kazatchkine, M., Ferreira, E., Padua, F., Coutinho, A. and Sundblad, A.
Instability of natural antibody repertoires in Systemic Lupus Erythematosus patients, revealed by multiparametric analysis of serum antibody reactivities.

Scand. J. Immunol. **45**: 331-341 (1997)
- 386 Jungmann, P., Freitas, A., Bandeira, A., Nobrega, A., Coutinho, A., Marcos, M.-A. and Minoprio, P.
Murine acariasis. II. Immunological dysfunction and evidence for chronic activation of Th-2 lymphocytes.

Scand. J. Immunol., **43** : 604-612. (1996)
- 387 Coutinho, A.

The network theory: 21 years later.

Scand. J. Immunol., **42**: 3-8 (1995)

- 388 Coutinho, A.
Immune or Autoimmune?

Clin. Exp. Immunol., **101**: 3-5 (1995)

- 389 Nobrega, A., Haury, M., Gueret, R., Coutinho, A. & Weksler, M.E.
The age-associated increase in autoreactive immunoglobulins reflects a quantitative increase in specificities detectable at lower concentrations in young mice.

Scand. J. Immunol., **44**: 437-443 (1996)

- 390 Coutinho, A., Kazatchkine, M.D. & Avrameas, S.
Natural autoantibodies.
Curr. Opin. Immunol., **7**: 812-818 (1995)
- 391 Mouthon, L., Lacroix-Desmazes, S., Nobrega, A., Barreau, C., Coutinho, A. & Kazatchkine, M.D.
The self-reactive antibody repertoire of normal serum IgM is acquired in early childhood and remains stable throughout life.
Scand. J. Immunol., **44**: 243-251 (1996)
- 392 Coutinho, A.
Simple developmental programs of gene expression and cellular composition of lymphoid organs at the origin of natural tolerance.
Res. Immunol., **146**: 321-332 (1995)
- 393 Modigliani, Y., Bandeira, A. and Coutinho, A.
A model for developmentally acquired thymus-dependent tolerance to central and peripheral antigens.
Immunol. Rev., **149**: 155-174. (1996)
- 394 Le Douarin, N., Corbel, C., Bandeira, A., Thomas-Vaslin, V., Modigliani, Y., Coutinho, A. and Salaün, J.
Evidence for a thymus-dependent form of tolerance that is not based on elimination or anergy of reactive T cells.
Immunol. Rev., **149**: 35-53. (1996)
- 395 Jungmann, P., Guenet, J.-L., Cazenave, P.-A., Coutinho, A. & Huerre, M.
Murine acariasis. I. Pathological and clinical evidences suggesting cutaneous allergy and wasting syndrome in BALB/c mouse.
Res. Immunol., **147**: 27-38 (1996)
- 396 Grandien, A., Andersson, J., Portnoi, D. and Coutinho, A.
An example of idiotypic mimicry.
Eur. J. Immunol., **27**: 1808-1815 (1997)
- 397 Carneiro, J., Coutinho, A., Faro, J. and Stewart, J.
A model of the immune network with B-T cell co-operation. I. Prototypical structure and dynamics.
J. Theor. Biol., **182**: 513-529 (1996)
- 398 Carneiro, J., Coutinho, A. and Stewart, J.

A model of the immune network with B-T cell co-operation. II. The simulation of ontogenesis.

J. Theor. Biol., **182**: 531-547 (1996)

- 399 Castro, A., Bemer, V., Nobrega, A., Coutinho, A. and Truffa-Bachi, P.,
Administration to mouse of endotoxin from gram-negative bacteria leads to
activation and apoptosis of T lymphocytes.

Eur. J. Immunol., **28**: 488-495 (1998)

- 400 Huetz, F., Tornberg, U.-C., Malanchère, E., Roes, J., Carlsson, L., Coutinho, A., Holmberg, D. and Rajewsky, K.
Targeted disruption of the V_H 81X gene: influence on the B-cell repertoire.
Eur. J. Immunol., **27**: 307-314 (1997)
- 401 Nobrega, A., Grandien, A., Haury, M., Hecker, L., Malanchere, E. and Coutinho, A.
Functional diversity and clonal frequencies of reactivity in the available antibody repertoire.
Eur. J. Immunol., **28** : 1204-1215. (1998)
- 402 Thomas-Vaslin, V., Damotte, D., Coltey, M., Le Douarin, N., Coutinho, A. and Salaün, J.
Abnormal T cell selection on NOD thymic epithelium is sufficient to induce autoimmune manifestations in C57BL/6 athymic nude mice.
Proc. Natl. Acad. Sci. USA, **94**: 4598-4603 (1997)
- 403 Coutinho, A.
O interesse da investigação nas actividades dos hospitais.
In Forum de Lisboa de Administração de Saúde, Ed. Fundação Calouste Gulbenkian / Serviço de Saúde e Protecção Social, pp 77-95 (1998)
- 404 Sundblad, A., Ferreira, C., Nobrega, A., Haury, M., Ferreira, E., Padua, F. and Coutinho, A.
Characteristic generated alterations of autoantibody patterns in idiopathic thrombocytopenic purpura.
J. Autoimmun., **10**: 193-201 (1997)
- 405 Modigliani, Y., Burlen-Defranoux, O., Bandeira, A. and Coutinho, A.
Neonatal tolerance to alloantigens is induced by enriched antigen-presenting cells.
Scand. J. Immunol., **46**: 117-121 (1997)
- 406 Coutinho, A.
Current concepts of autoimmunity.
In: Intravenous Immunoglobulin Research and Therapy, Kazatchkine, M.D. & Morell, A. (Eds.), pp 115-122 , Partenon Publishing, New York (1997)
- 407 Stewart, J. and Coutinho, A.
The evolutionary origins of immunoglobulins and T-cell receptors.
Res. Immunol., **147** : 197-198 (1996)
- 408 Coutinho, A.

From the basis of natural tolerance to the therapeutic strategies in autoimmune diseases.

In: *Proceedings of the 50th Anniversary of the INNSZ, Alarcon - Segovia, D. (Ed.)*
Mexico City pp (1997)

- 409 Ayouba, A., Ferreira, C. and Coutinho, A.
Distinguishable patterns of connectivity in serum immunoglobulins from SLE patients and healthy individuals.

Scand. J. Immunol., **45**: 408-416 (1997)

- 410 Coutinho, A.
Natural tolerance and self-assertion.

In: *Autoimmunity and the Eye*, Zierhut M., Raizman, M. & Thiel H.-J. (Eds.), Aeolus Press, pp 55-69
(1997)
- 411 Malanchère, E., Huetz, F. and Coutinho, A.
Maternal IgG stimulates B lineage cell development in the progeny.

Eur. J. Immunol., **27**: 788-793 (1997)
- 412 Modigliani, Y., Demengeot, J., Vasconcellos, R., Andersson, J., Coutinho, A. and Grandien, A.
Differential sensitivity of B lymphocyte populations to IgM receptor ligation is determined by local factors.

Int. Immunol., **9**: 755-762 (1997)
- 413 Demengeot, J., Vasconcellos, R., Modigliani, Y., Grandien, A. and Coutinho, A.
B lymphocyte sensitivity to IgM receptor ligation is independent of maturation stage and locally determined by macrophage-derived IFN- β .

Int. Immunol., **9**: 1677-1685 (1997)
- 414 Coutinho, A. and Bandeira, A.
Natural immunological tolerance: on time and space again.

Scand. J. Immunol., **46**: 109-112 (1997)
- 415 Fesel C. and Coutinho, A.
Dynamics of serum IgM autoreactive repertoires following immunisation: strain specificity, inheritance and association with autoimmune disease susceptibility.

Europ. J. Immunol. **28**:3616-3629 (1998)
- 416 Lacroix-Desmazes, S., Kaveri, S.V., Mouthon, L., Ayoub, A., Malanchère, E., Coutinho, A. and Kazatchkine, M.D.
Antibodies reactive with self (Natural Autoantibodies) in healthy individuals.

J. Immunol. Methods, **216**: 117-137 (1998)
- 417 Fesel, C. and Coutinho, A.
Structured reactions of IgM repertoires to immunisation are dependent on MHC genes.

Scand. J. Immunol. **49**: 251-257 (1999)

- 418 Vasconcellos, R., Nobrega, A., Haury, M., Viale, A.-C. and Coutinho, A.
Genetic control of natural antibody repertoires. I. IgH, MHC and TCR β Loci.

Eur. J. Immunol., **28**: 1104-1115 (1998)

- 419 Cederbom, L., Bandeira, A., Coutinho, A. and Ivars, F.
Naturally activated CD4⁺ T cells are highly enriched for cytokine-producing cells.

Eur. J. Immunol., **28**: 1934-1940 (1998)

- 420 Vasconcellos, R., Braun, D., Coutinho, A. and Demengeot, J.
Type I interferon sets the stringency of B cell repertoire selection in bone marrow.
Int. Immunol. **11**: 279-288 (1999)
- 421 Coutinho, A.
An outsider's view on SLE research.
Lupus. **8**: 171-173 (1999)
- 422 Coutinho, A.
Gigas and Anthonopiscus: evolution and development of Cohen's immunological homunculus
In: *Autoimmunity and Emerging Diseases*, Steinman, L (Ed.), The Center for the Study of Emerging Diseases pp. 54-63 (2001)
- 423 Hori, S., Demengeot, J., Bandeira, A. and Coutinho, A.
Cancer immunity: a problem of self-tolerance.
In: *Cancer and Immunity*, Schoenfeld, Y. and Gershwin, E. (Eds), Elsevier Science pp. 303-307 (1999)
- 424 Fesel, C. and Coutinho, A.
Serum IgM repertoire reactions to MBP/CFA immunisation reflect the individual status of EAE susceptibility.
J. Autoimmunity **14**: 319-324 (2000)
- 425 Stewart, J. and Coutinho A.
The biology of learning.
In: *2020: O Futuro de Educação em Portugal*, Caraça, J. & Carneiro, R. (Eds) (in press)
- 426 Sundblad, A., Coutinho, A., Björkholm M. and Holm, G.
V-region-specific alterations of serum IgM production in multiple myeloma of IgG class.
Hematology Journal **1**: 102-110 (2000)
- 427 Coutinho A.
Germ-line selection ensures embryonic autoreactivity and a positive discrimination of self, mediated by supraclonal mechanisms.
Semin Immunol. **12** (3):205-13 (2000)
- 428 Reina-San-Martin B, Degraeve W, Rougeot C, Cosson A, Chamond N, Cordeiro-Da-Silva A, Arala-Chaves M, Coutinho A, Minoprio P.
A B-cell mitogen from a pathogenic trypanosome is a eukaryotic proline racemase.

Nat Med. **6** (8): 890-7 (2000)

- 429 Santos Lima, E., Vasconcellos, R., Reina San Martin, B., Fesel, C., Cordeiro da Silva, A., Berneman, A., Cosson, A., Coutinho, A. and Minóprio P.
Significant association between the skewed natural antibody repertoire of *Xid* mice and resistance to *Trypanosoma cruzi* infection.

Europ. J. Immunol. **31**: 634-645 (2001)

- 430 Ayouba, A., Vasconcellos, R., Hermitte, V., Coutinho, A. and Huetz F.
Conservation of serum IgM reactivity and B cell receptor multireactivity characterize the natural antibody repertoire of kappa light chain deficient mice.
- Submitted*
- 431 Coutinho, A., Hori, S., Carvalho, T., Caramalho, I. and Demengeot, J.
Regulatory T cells: the physiology of autoreactivity in dominant tolerance and “quality control” of immune responses.
- Immunol. Revs.* **181** : 1-10 (2001)
- 364 Coutinho, A. and Haas, W.
In vivo models of dominant tolerance: where do we stand today ?
- Trends Immunol.* **22**: 350-1 (2001)
- 433 Campino, S., Bagot, S., Behrschmidt, C., Pied, S., Coutinho, A., Penha-Gonçalves, C., Holmberg, D. and Cazenave, P.-A.
Identification of two loci controlling resistance to death by hyperparasitemia in *Plasmodium berghei* infection, using mouse strains recently derived from wild stocks.
- Submitted*
- 434 Coutinho, A.
Autoimunidade: perda da identidade molecular.
- In: *Os outros em nós*, Mota-Cardoso, R. (Ed.) *Porto 2001* (in press)
- 435 Bobrovnik S.A. and Coutinho A.
Specificity, affinity and quantity of mouse serum natural antibodies.
- Submitted*
- 436 Hori, S., Haury, M., Coutinho, A., Lafaille, J., and Demengeot, J.
Specificity requirements for selection and effector functions of CD25⁺4⁺ regulatory T cells in anti-myelin basic protein T cell receptor transgenic mice.
- Submitted*
- 437 Hori, S., Haury, M., Demengeot, J. and Coutinho, A.
All regulatory T cells that prevent encephalomyelitis in anti-myelin basic protein T cell receptor transgenic mice are committed in the thymus
- Submitted*
- 438 Salaun, J., Simmenauer, N., Belo, P., Coutinho, A. and Le Douarin, N.

Grafts of supernumerary thymuses containing allogeneic pancreatic islets protect NOD mice against diabetes.

Submitted

439 Coutinho, A.
Imitation in Biology.

Submitted

440 Coutinho, A.
A walk with Francisco Varela in search of structure, dynamics and metadynamics in the immune system.

Submitted